Dollaghan, C.A., e52, 1264
Donovan, E.F., 280, e63
Dorenbaum, A., e62
Dowell, S.F., 1251
Downs, S.M., 1220
Driver, C., e8
Drumm, B., 1129
Dudell, G., 231
Duffy, S.J., 1342
Duggan, C., e29
duPont, M.L., 998
DuRant, R.H., 1286

Easley, K.A., e6, e14
Easter, S.A., 158
Eastwood, B.J., e42
Edell, D., 1389
Ehrenkranz, R.A., 280, e63
Eichenfield, L.F., 276
Eichenwald, E., 1327
Elder, D., e23
Elidemir, O., 964
Elyazeed, R.A., e3
Emans, S.J., 270
Englund, J.A., e32
Ericsson, U.-B., e12
Ernst, H.M., 874
Esbjörner, E., 222
Escobar, G.J., e2, 419, 894, 1198
Estrella, B., e1
Ettedgui, J.A., e57
Etzel, R.A., 576
Evans, J.M., 1208
Evans, R., e75

Fabiano, G.A., 1300
Fagan, J., e71
Fahnenstich, H., 900
Faigenbaum, A.D., e5
Faith, M.S., 61
Fan, L.L., 964
Fanaroff, A.A., 280, e63
Farah, M.M., 1059
Faraone, S.V., e20
Farley, T.A., 1281
Farrell, M.K., 1334
Fein, J.A., e19
Feldman, H.M., e52, 1264
Felix, R.J., e61
Fendya, D.G., e7
Ferrieri, P., 203
Fiallo, E., e1
Field, A.E., 918
Finelli, L., e59
Finer, N.N., 428, e40
Fisher, M., 131
Fisher, M.C., 109
Fitzsimon, C., 1, 7
Fivush, B.A., 519
Flannery, D.J., 878
Fleischer, B., e65
Fleming, P.J., e43
Fletcher, J.M., 1351
Folck, B.F., e2, 1198
Fontana, G.P., 227
Ford-Jones, L., 1, 7
Forrest, C.B., 28
Foster, M., e34
Fowler, K.B., 55
Fox, J.L., 994
Fox-Wheeler, S., e73
Francis, D.J., 1351
Franck, L.S., e62
Frank, D.A., 1101
Frank, J.E., 1417
Franke, U., 900
Franz, A.R., 447
Frazier, A.L., 918
Freed, G.E., 297
Freedman, M.H., e31
Freedman, S., 507
Friedlander, S.F., 276
Friedman, S.B., 131
Friedrich, W., 885
Frierson, T., 878
Friis, B., e77
Frindik, J.P., 1000
Funke, M., 405
Furnival, R.A., e53
Furth, S.L., 519
Furuyama, N., e22

Gallagher, P.R., 1293
Gamma, E.F.L., 482
Ganga-Zandzou, P.S., 216
Ganz, T., 1327
Garcia-Prats, J.A., e48
Gardner, M.N., e2, 1198
Garland, J.S., 91
Gebre-Medhin, M., e50
Gelberg, L., 1217
Gerardi, M.J., e53
Gerber, M.A., 911
Gerdes, J.S., 1258
Gersony, W.M., e14
Giardino, A.P., 996
Gibbs, N.F., 276
Gibson, R.A., 468
Giffored, K.L., 1258
Gillis, D., 514
Gilsanz, V., e73
Glade, G.B., 28
Gladstone, G., 1417
Glantz, S.A., 1312
Glass, R.I., 489
Glezen, W.P., 1417
Glushak, C., e69
Gnagny, E.M., 1300
Gold, D.R., 495
Goldfarb, J., e6
Goldfarb, N., 931
Golding, J., e43
Goldmann, D., 1327
Goldschmidt, L., e18
Goldstein, D.J., 15
Goldstein, K.P., e69
Gonzales, V.M., 1198
González, A., e24
Goodman, D.C., 187
Goodwin, S.R., e34
Gorelick, M.H., e19, e54
Gorlick, G.M., 576
Gortner, L., 900
Gottrand, F., 216
Graham, D., 1018
Graham, J.D., 1247
Grant, E.N., e71
Grave, G.D., 1360
Greenberg, J., 249
Greenes, D.S., 861
Grey, S., e51
Griffiths, J.K., e1
Griffiths, P.D., e49
Gronwaldt, V., 1070
Groothuis, J.R., 1124
Groves, B.M.A., 249
Grush, L.R., e11
Guariso, G., 299
Gueorguieva, R.V., e74
Guiang, S.F., III, 1089
Guignard, J.-P., 578
Guldberg, P., 258
Gunn, A.J., 1169
Gunn, T.R., 1169
Guntheroth, W.G., e58
Guo, S., 878
Gutierrez, K.M., 961
Güttler, F., 258
Guyer, B., 1229

Haas, E., e8
Hadler, J.L., 489
Hafler, J.P., 270
Haggerty, R.J., 111, 137
Haight, M., e73
Hall, C.B., 463
Hall, T.A., 1095
Halperin, S., 1
Halperin, S.A., e42
Hambidge, S.J., 158
Hamel, S.C., e18
Hamewey, S.L., 1419
Hammerman, C., 68
Hammerschlag, M.R., 1137
Handa, J.T., e44
Hanley, W.B., 258
Hansson, S., 222
Hartmann, S., 900
Hay, W.W., Jr., 1360
Hayakawa, F., 1077
He, Q., e70
Heath, B.W., e53
Hecht, J., 187
Hediger, M.L., e33
Hein, H.A., 1064
Heird, W.C., 1360
Heller, L., e73
Helms, R.A., 593
Henderson, M.J., e76
Henderson, V.A., 874
Hennecke, K.-H., 900
Henriksen, T.B., e46
Heo, M., 61
Hepner, C., e62
Hether, N.W., 1208
Heymsfield, S.B., 61
Hickey, R.W., 79
Hickman, M.E., 203
Hickson, G.B., 525
Higham, M., e29
Hildmann, A., 900
Hill, T.D., 874
Hillman, A.L., 931
Hirschhorn, R.B., e35
Hoberman, A., 79
Hodge, R.R., e35
Hoekelman, R.A., 536
Hoffman, J., 967
Hofvander, Y., e50
Holahan, J.M., 1351
Holm, J.-C., e77
Holman, R.C., 489
Homer, C.J., e78
Hoppu, K., 623
Horbar, J.D., 428
Hörnell, A., e50
Howard, C.R., 1204
Howard, F.M., 1204
Hoyert, D.L., 1229
Hunter, K.E., 1208
Hussain, N., e26
Husson, M.-O., 216
Hutchison, T.J., e9
Hwa, V., 1018
Hwang, B., 87
Hwang, W., 519

Iinuma, K., e22
Imrie, C., 1129
Ingermann, A., 1018
I-NO/PPHN Study Group, 231
Ireys, H.T., 1182
Irwin, C.E., Jr., 195
Isolauri, E., e64
Ivarsson, S.-A., e12
Izurieta, R., e1

Jack, R.M., e37
Jackson, B.G., 15
Jackson, W.D., e36
Jacobs, J.P., 227
Jaffe, D.M., 1167
Jakobsson, B., 222
Janosky, J.E., 79, e52, 1264
Jarrar, R., 132
Jayaraman, M., 1251
Jeffery, H.E., 263
Jimenez, E., e32
Joffe, S., e2, 419, 894
Johnson, C.M., 1208
Johnson, K.A., e61
Johnson, L.M., e62
Johnson, M.H., 514
Jones, G., 405
Jones, K.L., e61
Jones, T.F., 1223
Joseph, P.R., 308
Julius, J.R., 1014, 1028

Kabat, W., 911
Kagan, J., 164
Kaneko, H., e60
Kang, M., 28
Kanner, A., 405
Kaplan, E.L., 911
Kaplan, M., 68
Kaplan, S., e14
Kaplan, S.J., 43
Kaplowitz, P.B., 936
Karita, E., e56
Kassam-Adams, N.L., 1293
Kato, S., e22
Katsikiotis, V., 280
Kattwinkel, J., 231
Katz, K.H., 243
Katz, S.L., 1123
Kauffman, R.E., 603
Kaufhold, A., e70
Kaufman, F., e73
Kaufman, F.R., 1039
Keane, C.R., 1051
Kearney, D.H., 79
Keith, J.F., III, 210
Kelleher, J., 1129
Kelleher, K.J., 310
Kellermann, A.L., 1059
Kelliher, M.P., 1419
Kelly, K.J., 1321
Kemp, S.F., 999, 1031
Kemper, A.R., 1220
Kennedy, R.M., 1167
Kenyon, T.A., e8
Keyserling, H., 1251
Khoshoo, V., 1389
Kim, Y., e3
Kincannon, J., 1042
Kirkland, J.L., 577
Kleinman, L., e78
Kleinman, R.E., e29
Klinepeter, K.L., 15
Knip, M., 925
Koch, R., 258
Kohl, S., 1390
Kohn, B., 1014
Kokoska, E.R., e7
Kolczak, M., 1251
Koren, G., e31
Korones, S.B., 280, e63
Kotagal, U.R., e28, 1334
Kotelchuck, M., 1345

Kothadia, J.M., 15, 22
Kouwabunpat, D., 967
Kreiter, C.D., e55
Kreiter, S.R., 1286
Krilov, L.R., 131
Kron, M., 447
Kronmal, R.A., e68
Krowchuk, D.P., 1286
Krug, S.E., e53
Kruyer, L., 1345
Kruyer, L.S., e17
Kuan, L.W., e28
Kuczmarski, R.J., e33
Kulmala, P., 925
Kuno, K., 1077
Kurkchubasche, A.G., e7
Kurs-Lasky, M., e52, 1264
Kurup, V.P., 1321
Kutz, T.J., 995
Kylberg, E., e50

Labbé, R.F., e37
Labruna, V., 43
Lai, W.W., e14
Laiho, K., e64
Lambert, L., e62
Lande, M.B., e51
Landin-Olsson, M., e12
Landis, D.A., 1419
Langley, J.M., e42
Langston, C., e6
Lanphear, B.P., 1204
Laraque, D., 1137
Lasche, J., e29
Lauderdale, D.S., e69
LaVallee, C.P., 1051
Lave, J.R., 1051
Lavigne, J., 1274
Lavin, A., 132
Law, B., 1, 7
Lawless, M.R., 1286
Lawrence, R.A., 1204
Lawson Wilkins Pediatric Endocrine Society, 936
Leach, C.E.A., e43
LeBailly, S., 50
Lebbar, A., 304
Le Bourgeois, M., e45
Le Clainche, L., e45
Leder, M.R., 270
Lee, K., e62, 1327
Lee, R.R., 405
Lee, S., e59
Lee, Y.J., e3
Leef, K.H., 129
Lemons, J.A., 280, e63
Leos, N.K., e4
Lepage, P., e56
Lepow, M.L., 911
Lerer, T.J., 911
Lerman, S.J., e29
Lerman-Sagie, T., 301
Lernmark, A., e12
Leroy, V., e56
Lesko, S.M., e39
Levin, E., e77, 1360
Levine, A., e25
Leviton, A., 541
Levy, H.L., 258
Levy, O., 1327
Levy-Lahad, E., 68
Lewine, J.D., 405
Lezotte, D., 1192
Lieu, T.A., 419, 894
Lifschitz, M.H., e32
Lightwood, J.M., 1312
Lima, J., 1028
Lin, H.C., 476
Lin, H.-M., 1258
Lin, Y.J., 476
Linakis, J.G., 1342
Linares, L.O., 249
Lindberg, B., e12
Lipshultz, S.E., e14
Litonjua, A.A., 495
Liu, K.A., 1139
Loeffler, J., e34
Lofgren, M.A., 1064
Long, C., e5, 463
Lopez-Bermejo, A., 1018
Loro, M.L., e73
Loud, R.L.R., e5
Lozano, P., 187
Lu, J.-H., 87
Lucas, A., 1360
Lucey, J.F., 106
Ludvigsson, J., e12
Luhmann, J.D., 1139
Lund, D.P., 440
Lusk, E., 931
Lynn, H., 1274

MacDonald, N., 1
MacDorman, M.F., 1229
Maes, E.F., e15
Magnani, B., e75
Mahan, C.S., e74
Majd, M., 79
Makhoul, I.R., 1416
Makrides, M., 468
Makuch, R.W., 243
Malatack, J.J., 1133
Mandel, F., 43
Mandl, K.D., 440
Manio, E., e62
Mansilla-Olivares, A., e21
Manzar, S., 1169, 1169
Marcdante, K.W., 148
Marchi, K., 195
Marchione, K.E., 1351
Marcin, J.P., 868
Marcus, D.M., 514
Margolis, P.R., 1220
Mariani, G., 1082
Markenson, D., e53
Markowitz, L., e59
Marshall, D.D., e17, 1345
Martin, D.H., 1281
Martin, J.A., 1229
Martin, S., 158, 1327
Martínez, P., e24
Mascola, L., 561
Matalon, R., 258
Mattoo, T.K., e30
Maul, K., 900
Maunula, L., e64
Maurer, K.R., e33
Maxim, R., e27
Maynard, R.C., 1089
McAuliffe, T.L., 91
McBride, J.T., 454, 463
McCarten, K.M., 1101
McCarty, M., e29
McCloskey, K.A., e53
McConnochie, K.M., 454, 463
McCormick, J., 7
McCormick, M.C., 1176
McGlynn, A., e33
McGuinn, M., e27
McKenzie, M.D., 1419
McKinney, R.E., e32
McKinney, R.E., Jr., 1126
McPherson, C., 1169
McQuillen, K.K., 1342
Megevand, A., 263
Mehl, A.L., 352
Meichenbaum, D.L., 1300
Meinecke, C.K., e65
Melinkovich, P., 158
Ment, L.R., 243
Meny, R.G., 297
Mertsola, J., e70
Metz, T.H., Jr., 958
Meyer, C., 900
Miall, L.S., e76
Michaliszyn, A., 1
Michaud, L., 216
Mick, E., e20
Milgrom, H., e38
Milla, C.E., 1089
Miller, D.B., 878
Miller, J.P., e13, 1167
Mills, E., 1
Milo-Mason, G., e49
Mimouni, M., e41
Minh, N.N.T., e70
Minich, L.L.A., e10
Minniti, G., 1018
Mintz, M., e32
Mirmiran, M., 1170
Mirochnick, M., 1101
Mitchel, E.F., Jr., 525
Mitchell, A.A., e39
Mitchell, H., 1274
Mitchell, K., e29
Moler, F.W., 559
Møller, T., e77
Moodie, D.S., e14
Moolenaar, R., 561
Moore, W.L., 1223
Moran, M.M., 1133
Morikawa, A., e60
Moritz, M.L., 435
Morris, J., 1142
Morsy, B.Z., e3
Moser, K.S., e8
Moss, M., e53
Mother-to-Child HIV-1 Transmission Study Group, e56
Moughan, B., 1133
Mrena, S., 925
Msall, M., e27
Msellati, P., e56
Muelenaer, P.A., 1394
Mukonoweshuro, W., e49
Mulligan-Smith, D., e53
Mykkänen, H., e64

Naff, R., 507
Naficy, A., e3
Nahata, M.C., 607
Najman, J.M., e16
Nako, Y., e60
Narchi, H., 1416
Nash, D.R., 310
Neches, W.H., e57
Neiss, A., 577
Nelson, D.G., 1342
Nelson, L.B., 958
Nelson, T.F., 1247
Neu, A.M., 519
Neumann, M.A., 468
Neville, B.G.R., 558
Newacheck, P.W., 195
Newell, S.J., e76
Newman, T.B., 1198
Nguyen, B.X., e9
Nielsen, H.E., e77
Nielsen, J.E., e77
Nir, M., e77
Nobile, C., e27
North Carolina Neonatology Association, e17
Nozyce, M., e32
Nsuami, M., 1281
Nuamah, I., 931
Nuñez, C., 61

Obel, C., e46
Oberfield, S.E., 936
O'Callaghan, M., e16
O'Donnell, K., e32
O'Gorman, M., e36
Oh, W., 280, e63
Oh, Y., 1018
Ohnuma, K., e22
Okumura, A., 1077
Olin, P., 1381
Olson, L.M., e71
Omar, S.A., 482
Onorato, I.M., e8
Onyango, A.N., 1300
Origenes, M.L., Jr., e37
Orrison, W.W., Jr., 405
Ortiz, W., e1
Osborne, H., 1129
O'Shea, T.M., 15, 22, 1345
Oskam, L., e65
Østergaard, J.R., e46
Overpeck, M.D., e33
Owens, J., e27
Ozawa, K., e22

Page, M., 263
Papania, M., e59
Papile, L.-A., 280, e63
Paradise, J.E., 178
Paradise, J.L., 354, e52, 1264
Parashar, U.D., 489
Park, H., 1101
Park, S.Y., 1390
Pass, R.F., 55
Passeri, M., e62
Patel, H., 1418
Patel, K.M., 868
Patil, A.-A., 405
Paul, D.A., 129
Paul, E., 314
Pauly, T.H., 91
Paupe, J., e45
Pearlman, D.S., 501
Pearson, D.A., e32
Pediatric AIDS Clinical Trials Group 152 Study Team, e32
Pediatric Pulmonary and Cardiac Complications of Vertically Transmitted HIV Infection (P^2C^2 HIV) Study Group, e14
Pelcovitz, D., 43
Pelham, W.E., 1300
Pellock, J.M., 1106
Peña, B.M.G., 440
Peng, C.T., 476
Perlstein, P.H., 1334
Perrin, J.M., 133, 1173
Perry, J.J., 1182
Perry, L.D., 130
Pescovitz, O.H., 1010
Peters, K., 1169
Peterson, C., 561
Phibbs, C.S., 1312
Phillips, M.L., 1095
Pichichero, M.E., 1384
Pickering, B., 276
Pickering, L.K., 1420
Pietrobelli, A., 61
Pirie, E., 514
Platt, M.W., e43
Plioplys, A.V., 130

Pobiner, B.F., 501
Podorovsky, L., 132
Pohlandt, F., 447
Pollack, M.M., 868
Pons, G., 633
Ponvert, C., e45
Porter, F.L., e13, 1167
Powe, N.R., 519
Provencal, S., 405
Pugh, K.R., 1351
Punyasavatsu, N., e23
Pyles, L.A., e53

Quinton, H.B., 1417

Rabe, H., 900
Radzevich, A., e29
Ramalho, A., e70
Rane, A., 640
Rao, M., e3
Rappaport, L.A., 270
Raskino, C., e32
Ray, E., 633
Ray, G.T., 419
Ray, W.A., 525
Redd, S.C., e59
Reed, M.D., 627
Reid, B., e36
Reid, R.J., 28
Renbaum, P., 68
Rench, M.A., 203
Resnick, M.B., e74
Rettmer, R.L., e37
Reynolds, E.A., 79
Rhines, J., 231
Ricci, E.M., 1051
Richardson, G.A., e18
Ripley, K., 931
Rivara, F.P., 107
Rivière, M., 1, 7
Roberts, D., 22
Roberts, K.B., 135
Robertson, C., 1169
Robertson, L.M., e11
Robson, C.D., 1101
Rockette, H.E., 1264
Rodewald, L.E., e15
Rodríguez, A., e1
Rodriguez, R.A., 237
Roghmann, K.J., 454
Romstad, A., 258
Rosenbloom, A.L., 996
Rosenfeld, R.G., 1018
Rossi, R., 900
Rossmann, S.N., 964
Roth, J., e74
Rotschild, A., 579
Rouse, B.M., 258
Ruley, J., 79
Runyan, D.K., 168
Russo, M.J., 454
Russo, P.A., 75
Ruttimann, U.E., 868
Ryder, R.W., 489

Sacchetti, A.D., 998
Salata, C.M., e73
Salmaso, S., 997
Salminen, S., e64
Salzinger, S., 43
Samuels, D.P., 91
Sánchez, P.J., e4
Santoli, J.M., e15
Santucci, K.A., 1342
Sárközi, A., e66
Savarino, S., e3
Savola, K., 925
Schaffner, W., 1223
Schatz, B., 1170
Schechter, N.L., 993
Scheinmann, P., e45
Schluchter, M.D., e6, e14
Schmitt, H.J., 577
Schmitz, M.L., 1167
Schneider, K.C., 243
Schoentjes, E., 885
Schoettker, P.J., e28, 1334
Schottelius, J., e65
Schrodt, B.J., 113
Schubert, C.J., e72
Schuett, V., e68
Schunck, K.-U., 900
Schutzman, S.A., 861
Schwartz, B., 1251
Scott, C., 501
Scott, J.S., e57
Seashore, M.R., e67, e68
Seeler, R.A., 132, 1170
Seidman, E., 75
Sekar, K., 1095
Sempértegui, F., e1
Sepkowitz, S., 576
Shankaran, S., 280, e63
Shapiro, R.A., e72
Sharma, S., e47
Shaw, K.N., e54
Shaywitz, B.A., 1351
Shaywitz, S.E., 1351
Sheehan, K., 50
Shenai, J.P., 1369
Shenkman, E., 507
Sherman-Slate, E., 1293
Shetty, A.K., 961
Shields, C.L., 958
Shirkey, H., 583
Shneider, A.E., 1351
Shope, T.R., 143
Shulman, S.T., 911
Siddiqui, P.N., 911
Siegel, C.D., 158
Siegel, R.M., 874, e72
Sierra, M.L.M., e24
Silen, M.L., e7
Simmer, K., 468
Simmons, K.E., 1021
Simon, H.K., 1059
Simonon, A., e56
Simpson, D., 148
Sinal, S.H., 1286
Singer, M.I., 878
Sirotnak, A., 996
Skajaa, E., e46
Slap, G.B., 35
Slovak, K., 878
Smith, C.G., 1264
Smith, I.J., e43
Smith, M., 405
Snider, K., 237
Soliday, E., e51
Sopko, G., e14
Spagnoli, A., 1018
Spector, S. A., 1394
Spencer, T., e20
Spiers, P.S., e58
Spira, R., e56
Spitalny, K., e59
Spivak, L.G., 351
Sprague, B.M., 868
Srivastava, R., 1419
Stagno, S., 55
Stahl, E., 501
Starc, T.J., e6, e14
Starfield, B., 28
Stathis, S.L., e16
Steele, R., 1334
Stefano, J.L., 129
Steinbach, G., 447
Steiner, R.L., 1300
Stevenson, D.K., 68, 280, e63
Stoll, B.J., 280, e63
Stone, B., 1192
Stowe, Z.N., e11
Strait, R.T., 1321
Strasburger, C.J., 1024
Straube, R., 231
Strobino, D.M., 1229
Stuebing, K.K., 1351
Stukel, T.A., 187
Sun, Y., e74
Sundkvist, G., e12
Sunkle, S., e6
Suresh, G., 993
Sutherland, S.A., 137
Swedish Pediatric Nephrology Association, 222
Sy, J.P., 1031, 1039
Szilagyi, P.G., 454

Tabata, M., e60
Taddio, A., e31
Takahashi, A., e60
Tanz, R.R., 911
Taras, H.L., 143
Tarin, T., e40
Tasman, W., e47
Taussig, L.M., e38
Taylor, G.A., 440
Teixeira, O.H.P., 237
Telvi, L., 304
Temprosa, M., e63
ten Hoopen, C.B., 1204
Theodore, A.D., 168
Thomas, R.G., e61
Thomsen, L.L., e77
Thorne, G.M., 1327
Tímár, L., e66
Tomeo, C.A., 918
Tomey, J.L., 1095
Tomomasa, T., e60
Top, F.H., Jr., 995
Torkkeli, S., e64
Tozzi, A.E., 997
Tracy, T.F., Jr., e7
Trefz, F., 258
Trento, A., 227
Troya, S., e1
Tsai, C.H., 476
Tsuchida, Y., e60
Tuohy, A.M.M.M., e36
Turck, D., 216
Turner, A.J., e76
Tyebkhan, J., 1169
Tyson, J.E., 280, e63

Umman, G.C., e73

Valore, E., 1327
Valway, S.E., e8
Van de Perre, P., e56
Vane, D.W., e53
Van Naarden, K., 905
Van Why, S., 314
Vaucher, Y.E., e40
Vaudry, W., 1
Vaughn, D., 1129
Vegas, E., e24
Ventura, S.J., 1229
Verter, J., e63
Viani, R.M., 1394
Viljanen, M.K., e70
Vincent, P., 216
Vogeley, E., 132
Vohr, B., 243
Vreman, H.J., 68

Wade, S.L., 1274
Waisman, D., 579
Waisman, Y., e41
Wald, E.R., 79
Walson, P.D., 619
Walter, J., e69
Walvoord, E.C., 1010
Wang, Y., 501
Wappner, R., e67, e68
Wara, D., e62
Waskiewicz, K., 1208
Watanabe, K., 1077
Watemberg, N., 301
Watson, R.L., 1251
Watterberg, K.L., 1258
Weaver, R.G., III, 15, 22
Weber, T.R., e7
Wegener, D.H., 507
Weil, C.M., 1274
Weinberg, A., e4
Weiner, J., 931
Weiner, M., 43
Weintraub, Z., 579
Weisend, M., 405
Weisman, L.E., 995
Weiss, K.B., e71
Weiss, S.T., 495
Weitzman, M., 151
Wendel, G.D., Jr., e4
Westcott, W.L., e5
Westerveld, M., 243
Whitehead, V.L., 91
Wiebe, R.A., e53
Wiecha, J.M., 1212
Wierzba, T., e3
Wiggins, J.W., e9
Wilens, T., e20
Williams, A., 1300
Williams, C., e34
Williams, G.M., e16
Wilson, D.M., 1036
Wilson, J.T., 585
Wilson, L., 1018
Winston, F.K., 1293
Winston, J.F., 91
Wirsing von König, C.H., 577
Wirthwein, D.P., e4
Wisborg, K., e46
Witt, M.T., e10
Witte, J., 900
Wittenberg, E., 1247
Wizla-Derambure, N., 216
Wolf, C.M., e13
Woods, C.R., 1286
Wright, L.L., 280, e63
Wyatt, D., 1045

Yaffe, S.J., 581, 1360
Yeh, T.F., 476
Yeh, T.S., e53
Younes, N., 280
Young, P.C., e10
Young, T.E., e17, 1345
Yu, Y.M., e23

Zancan, L., 299
Zempsky, W.T., 993
Zeray, F., e4
Zerem, E., e41
Ziegler, E., 1360
Ziegler, J.W., e9
Zinman, H.M., 1419
Ziv, A., 35
Zucchetta, P., 299
Zuckerman, B., 249, 1101
Zunker, C.L., 1208

SUBJECT INDEX

Abscess, spinal epidural, in preverbal children: case report with Currarino triad, 1139
Access to care. *See also* Utilization of health care services
  adolescent health insurance coverage: recent changes and access to care, 195
  impact of children's health insurance program by age, 1051
  Medicaid policy statement (committee statement), 344
Accidents. *See* Injuries
Acetaminophen, safety of ibuprofen and, among children younger than 2 years old, e39, 952
Adderall, comparison of morning, midday, and late-afternoon methylphenidate with morning and late-afternoon Adderall in children with attention-deficit/hyperactivity disorder, 1300
Adolescents
  acellular vaccines containing reduced quantities of pertussis antigens as booster in, e70, 1377
  calcium requirements of infants, children, and (committee statement), 1152
  contraception and (committee statement), 1161
  contributors to violent behavior among elementary and middle school children, 878
  differences in knowledge of hepatitis B among Vietnamese, African American, Hispanic, and white adolescents in Worcester, Massachusetts, 1212
  gatekeeping and referral of children and adolescents to specialty care, 28
  gender differences in risk behaviors among adolescents who experience date fighting, 1286
  health insurance coverage: recent changes and access to care, 195
  impact of children's health insurance program by age, 1051
  persistence of dyslexia: Connecticut Longitudinal Study at adolescence, 1351
  physically abused, 43
  repeated school-based screening for sexually transmitted diseases, 1281
  sterilization of minors with developmental disabilities (committee statement), 337
  utilization of physician offices by adolescents in United States, 35
  weight concerns, weight control behaviors, and smoking initiation, 918
Adrenal function, prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
Adverse drug reactions
  drug allergy (best articles), 367
  Kikuchi's disease with multisystemic involvement and adverse reactions to drugs, e24, 294
  pediatric myocardial infarction after racemic epinephrine administration, e9, 103
  sexual development in two-year-old boy induced by topical exposure to testosterone, e23, 294
  when is there enough evidence to stop worrying about pertussis vaccine? (letter), 576
Advocacy, child advocates (letter), 1168
β_2-Agonists, prevention of exercise-induced bronchospasm in pediatric asthma patients: comparison of two salmeterol powder delivery devices, 501
AIDS. *See* Human immunodeficiency virus infection
Airbags, effect on child seating behavior in motor vehicles, 1247
Allergy
  best articles, 358
  to β-lactam antibiotics in children, e45, 954
  day care attendance in first year of life and illnesses of upper and lower respiratory tract in children with familial history of atopy, 495
Amblyopia, systematic review of vision screening tests for detection of, 1220
Ambulatory Pediatric Association
  academic general pediatrician: is species still endangered?, 137
  black and white middle class children who have private health insurance in United States, 151
  block rotation in community pediatrics, 143
  characteristics of families who attend free vaccine fairs, 158
  community experiences for residents, 135
  concurrent child health status and maternal recall of events in infancy, 1176
  development and evaluation of satisfaction scale for parents of children with special health care needs, 1182
  differences in knowledge of hepatitis B among Vietnamese, African American, Hispanic, and white adolescents in Worcester, Massachusetts, 1212
  frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
  hidden threats: lead poisoning from unusual sources, 1223
  how pediatric educators know what to teach: use of teaching scripts, 148
  infant sleep position: telephone survey of inner-city parents of color, 1208
  influence of having an assigned Medicaid primary care physician on utilization of otitis media-related services, 1192
  medical evaluation of sexually abused child, 178
  medical research agenda for child maltreatment, 168
  physiologic stability of newborns during cup- and bottle-feeding, 1204
  role of parents in children's psychological development (commentary), 164
  sink or swim-clinicians don't often counsel on drowning prevention, 1217
  systematic review of vision screening tests for detection of amblyopia, 1220
American Academy of Pediatrics (AAP)
  abstracts of presentations at annual meeting
    Section on Cardiology, 648
    Section on Computers and Other Technologies, 669
    Section on Critical Care, 674
    Section on Emergency Medicine, 683
    Section on Injury and Poison Prevention, 696
    Section on Orthopaedics, 706
    Section on Otolaryngology, 726
    Section on Perinatal Pediatrics, 733
    Section on Surgery, 762
    Section on Transport Medicine, 791
    Section on Urology, 796
  adherence to AAP guidelines for well-child care under managed care, 536
  Committee on Adolescence: Contraception and adolescents, 1161
  Committee on Bioethics
    Appropriate boundaries in pediatrician-family-patient relationship, 334
    Sterilization of minors with developmental disabilities, 337
  Committee on Child Abuse and Neglect, joint statement with American Academy of Pediatric Dentistry: Oral and dental aspects of child abuse and neglect, 348
  Committee on Child Abuse and Neglect and Committee on Community Health Services: Investigation and review of unexpected infant and child deaths, 1158
  Committee on Child Health Financing: Medicaid policy statement, 344

Committee on Children With Disabilities
Care coordination: integrating health and related systems of care for children with special health care needs, 978
Pediatrician's role in development and implementation of Individual Education Plan and/or Individual Family Service Plan, 124
The treatment of neurologically impaired children using patterning, 1149
Committee on Environmental Health: Ultraviolet light: a hazard to children, 328
Committee on Genetics
development of guidelines for treatment of children with phenylketonuria, e67, 1376
Folic acid for prevention of neural tube defects, 325
Committee on Infectious Diseases
Possible association of intussusception with rotavirus vaccination, 575
Prevention of poliomyelitis: recommendations for use of only inactivated poliovirus vaccine for routine immunization, 1404
Committee on Infectious Diseases and Committee on Environmental Health: Thimerosal in vaccines-an interim report to clinicians, 570
Committee on Injury and Poison Prevention
Safe transportation of newborns at hospital discharge, 986
Transporting children with special health care needs, 988
Committee on Native American Child Health and Committee on Infectious Diseases: Immunizations for Native American children, 564
Committee on Native American Child Health and Committee on Injury and Poison Prevention: The prevention of unintentional injury among American Indian and Alaska Native children: a subject review, 1397
Committee on Nutrition
Calcium requirements of infants, children, and adolescents, 1152
Iron fortification of infant formulas, 119
Committee on Pediatric AIDS and Committee on Infectious Diseases: Issues related to human immunodeficiency virus transmission in schools, child care, medical settings, the home, and community, 318
Committee on Practice and Ambulatory Medicine and Committee on Medical Liability: Pediatric physician profiling, 970
Committee on Psychosocial Aspects of Child and Family Health: The child in court: a subject review, 1145
Committee on Public Education: Media education, 341
Committee on Quality Improvement and Commission on Clinical Policies and Research, American Academy of Family Physicians: The management of minor closed head injury in children, 1407
Committee on Sports Medicine and Fitness: Human immunodeficiency virus and other blood-borne viral pathogens in the athletic setting, 1400
Committee on Substance Abuse: Marijuana: a continuing concern for pediatricians, 982
joint statement of AAP and United States Public Health Service, 568
joint statement with American College of Obstetricians and Gynecologists: Human immunodeficiency virus screening, 128
mnemonic for remembering AAP's suggestions for clinical violence prevention and management (letter), 1171
Pediatric Practice Action Group and Task Force on Medical Informatics: Privacy protection of health information: patient rights and pediatrician responsibilities, 973
Technical report: Minor head injury in children, e78, 1380
Work Group on Cord Blood Banking: Cord blood banking for potential future transplantation: subject review, 116
Amethocaine gel, relative efficacy of lidocaine-prilocaine cream and, for Port-a-Cath puncture in children, e31, 554
Anabolic steroids, evaluation of effects of oxandrolone on malnourished HIV-positive pediatric patients, e73, 1378
Analgesics, safety of acetaminophen and ibuprofen among children younger than 2 years old, e39, 952
Anaphylaxis, best articles, 366
Anemia
comparison between two and five doses a week of recombinant human erythropoietin for anemia of prematurity, 210
zinc protoporphyrin/heme ratio for diagnosis of preanemic iron deficiency, e37, 556
Anesthesia
predicting need for topical anesthetic in pediatric emergency department, e19, 293
relative efficacy of amethocaine gel and lidocaine-prilocaine cream for Port-a-Cath puncture in children, e31, 554
sedation in emergency situations (letter), 1167
Antibodies
comparative analysis of serologic screening tests for initial diagnosis of celiac disease, 75
increased susceptibility to measles in infants in United States, e59, 1120
long-term follow-up study of serum immunoglobulin G and immunoglobulin A antibodies after *Helicobacter pylori* eradication, e22, 294
previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
staging of preclinical type 1 diabetes in siblings of affected children, 925
Antidepressants
serum concentrations of antidepressants and benzodiazepines in nursing infants, e11, 104
weight gain in infants breastfed by mothers who take fluoxetine, e61, 1120
Antiepileptic drugs, 1106
Antimicrobial therapy
allergy to β-lactam antibiotics in children, e45, 954
changing epidemiology of group B streptococcal colonization, 203
oral versus initial intravenous therapy for urinary tract infections in young febrile children, 79
potential mechanisms for failure to eradicate group A streptococci from pharynx, 911
prophylactic *Lactobacillus GG* reduces antibiotic-associated diarrhea in children with respiratory infections, e64, 1121
randomized, placebo-controlled trial of erythromycin estolate chemoprophylaxis for household contacts of children with culture-positive *Bordetella pertussis* infection, e42, 953
reduction of unnecessary antibiotic therapy in newborn infants using interleukin-8 and C-reactive protein as markers of bacterial infections, 447
understanding antibiotic overuse for respiratory tract infections in children (commentary), 1384
use for pediatric upper respiratory infections: reported practice, actual practice, and parent beliefs, 1251
Antiretroviral therapy
neurologic, neurocognitive, and brain growth outcomes in human immunodeficiency virus-infected children receiving different nucleoside antiretroviral regimens, e32, 554
resolution of HIV-associated nephrotic syndrome with highly active antiretroviral therapy delivered by gastrostomy tube, 1394
Apnea
of prematurity and risk for sudden infant death syndrome (commentary), 297
why prone position is a risk factor for sudden infant death syndrome, 263
Appendicitis, suspected, effect of computed tomography on patient management and costs in children with, 440
Arrhythmias, pediatric myocardial infarction after racemic epinephrine administration, e9, 103
Artificial nails, danger of (letter), 132
Asphyxia, role of hypothermia in (letter), 1169

Aspiration, previously healthy infants may have increased risk of aspiration during respiratory syncytial viral bronchiolitis, 1389
Asthma
best articles, 371
cohort study of resource use by Medicaid children with, 310
day care attendance in first year of life and illnesses of upper and lower respiratory tract in children with familial history of atopy, 495
has asthma medication use in children become more frequent, more appropriate, or both?, 187
increase in admission threshold explains stable asthma hospitalization rates, 454
keeping children with exercise-induced asthma active, e38, 556
prevention of exercise-induced bronchospasm in pediatric asthma patients: comparison of two salmeterol powder delivery devices, 501
relationship between psychosocial factors and asthma morbidity in inner-city children with asthma, 1274
reliability and validity of Children's Health Survey for Asthma, e71, 1378
Athletic participation, human immunodeficiency virus and other blood-borne viral pathogens in the athletic setting (committee statement), 1400
Attachment, early perinatal hospital discharge and parenting during infancy, 1070
Attention-deficit/hyperactivity disorder
attention deficit disorder (letter), 1419
comparison of morning, midday, and late-afternoon methylphenidate with morning and late-afternoon Adderall in children with, 1300
pharmacotherapy for, reduces risk for substance use disorder, e20, 293
Autism spectrum disorders, regressive, magnetoencephalographic patterns of epileptiform activity in children with, 405, 558 (commentary)
Autoimmune disease
celiac disease associated with familial chronic urticaria and thyroid autoimmunity in child, e25, 295
hyperthyroidism: novel feature of tubulointerstitial nephritis and uveitis syndrome, 314
previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
staging of preclinical type 1 diabetes in siblings of affected children, 925
Bacteremia, tumor necrosis factor α, interleukin-1β, and interleukin-6 levels in febrile, young children with and without occult bacteremia, 1321
Bactericidal/permeability-increasing protein, impaired innate immunity in newborn: newborn neutrophils are deficient in, 1327
Behavior
behavioral effects of corticosteroids in steroid-sensitive nephrotic syndrome, e51, 956
Child Sexual Behavior Inventory: Dutch-speaking normative sample, 885
comparison of morning, midday, and late-afternoon methylphenidate with morning and late-afternoon Adderall in children with attention-deficit/hyperactivity disorder, 1300
contributors to violent behavior among elementary and middle school children, 878
effect of passenger airbags on child seating behavior in motor vehicles, 1247
gender differences in risk behaviors among adolescents who experience date fighting, 1286
parental stress and parent-rated child behavior in relation to otitis media in first 3 years of life, 1264
physically abused adolescents: behavior problems, functional impairment, and comparison of informants' reports, 43
weight concerns, weight control behaviors, and smoking initiation, 918
Benzodiazepines, serum concentrations of antidepressants and, in nursing infants, e11, 104
Betamethasone, risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
Bilirubin
frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
neonatal hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient heterozygotes, 68
Birth control, contraception and adolescents (committee statement), 1161
Birth weight. *See also* Low birth weight
concurrent child health status and maternal recall of events in infancy, 1176
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
Bite injuries, identification of risk factors in rat bite incidents involving humans, e35, 555
Blood pressure, measurement in children: cuff selection, e30, 553
Blood transfusion protocol, effect on retinopathy of prematurity, 514
Body composition
evidence for independent genetic influences on fat mass and body mass index in pediatric twin sample, 61
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
weight concerns, weight control behaviors, and smoking initiation, 918
Bone age
analysis of bone age data from National Cooperative Growth Study substudy VII, 1031
regular monitoring of bone age is not useful in children treated with growth hormone, 1036
regular monitoring of bone age is useful in children treated with growth hormone, 1039
Brain
brain damage in preterm newborns: might enhancement of developmentally regulated endogenous protection open a door for prevention?, 541
cerebral blood flow velocity during tilt table test for pediatric syncope, 237
clinical indicators of intracranial injury in head-injured infants, 861
demyelinative brainstem encephalitis responsive to intravenous immunoglobulin therapy, 301
dendritic spine pathology in infants with severe protein-calorie malnutrition, e21, 294
determination of timing of brain injury in preterm infants with periventricular leukomalacia with serial neonatal electroencephalography, 1077
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
management of minor closed head injury in children (committee statement), 1407
neurofibromatosis bright objects in children with neurofibromatosis 1, e49, 956
neurologic, neurocognitive, and brain growth outcomes in human immunodeficiency virus-infected children receiving different nucleoside antiretroviral regimens, e32, 554
technical report: minor head injury in children, e78, 1380
why do child cyclists in United States remain unhelmeted? (commentary), 107
Breastfeeding
breastfeeding patterns in relation to thumb sucking and pacifier use, e50, 956
dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
early initiation of breastfeeding and risk of infant diarrhea in rural Egypt, e3, 101
early perinatal hospital discharge and parenting during infancy, 1070
health system factors contributing to success of, e28, 552

nutrition of extremely low birth weight infant, 1360
physiologic stability of newborns during cup- and bottle-feeding, 1204
serum concentrations of antidepressants and benzodiazepines in nursing infants, e11, 104
weight gain in infants breastfed by mothers who take fluoxetine, e61, 1120
Bronchiolitis
evaluation of evidence-based guideline for, 1334
previously healthy infants may have increased risk of aspiration during respiratory syncytial viral bronchiolitis, 1389
Bronchopulmonary dysplasia
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
population-based study of chronic lung disease in very low birth weight infants in North Carolina in 1994 with comparisons with 1984, e17, 292
prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
rehospitalization for respiratory syncytial virus among premature infants, 894
risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
vitamin A supplementation in very low birth weight neonates, 1369

C-reactive protein, reduction of unnecessary antibiotic therapy in newborn infants using interleukin-8 and C-reactive protein as markers of bacterial infections, 447
Calcium, requirements of infants, children, and adolescents (committee statement), 1152
Canada, cost of chickenpox in
complicated cases and total economic impact, 7
uncomplicated cases, 1
Candidal infection, mycetoma in neonatal kidney, 1126
Car safety
effect of passenger airbags on child seating behavior in, 1247
looking beyond physical injury: posttraumatic stress disorder in children and parents after pediatric traffic injury, 1293
rollover injuries in residential driveways: age-related patterns of injury, e7, 103
safe transportation of newborns at hospital discharge (committee statement), 986
transporting children with special health care needs (committee statement), 988
Carbon monoxide poisoning, chronic, recurrent acute life-threatening events and lactic acidosis caused by, e34, 555
Cardiopulmonary resuscitation
intact survival in extremely low birth weight infants after delivery room resuscitation, e40, 952
in very low birth weight infant: Vermont Oxford Network experience, 428
Cardiovascular disease
abstracts of presentations at annual meeting, 648
cardiac complications in children with human immunodeficiency virus infection, e14, 291
cost-effective use of echocardiography in children with Kawasaki disease, e57, 1119
Kawasaki disease: diagnosis in patients who do not meet American Heart Association criteria, e10, 104
managing disagreements in management of short bowel and hypoplastic left heart syndrome, e48, 955
pediatric myocardial infarction after racemic epinephrine administration, e9, 103
prevalence and parental origin in tetralogy of Fallot associated with chromosome 22q11 microdeletion, 87
video-assisted thoracoscopic surgery for patent ductus arteriosus in low birth weight neonates and infants, 227
Care coordination, integrating health and related systems of care for children with special health care needs (committee statement), 978
Celiac disease
associated with familial chronic urticaria and thyroid autoimmunity in child, e25, 295
comparative analysis of serologic screening tests for initial diagnosis of, 75
Cerebral blood flow velocity, during tilt table test for pediatric syncope, 237
Cerebral palsy, randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants: outcome of study participants at 1-year adjusted age, 15
Cerebral ventriculomegaly, at term in very low birth weight preterm infants, etiology and outcome of, 243
Chickenpox
cost in Canada. I. Cost of uncomplicated cases, 1
cost in Canada. II. Cost of complicated cases and total economic impact, 7
varicella complicated by group A streptococcal sepsis and osteonecrosis, 967
varicella outbreaks after vaccine licensure: should they make you chicken?, 561
varicella vaccine (letter), 132
Child abuse and neglect. *See also* Violence
addressing sexual abuse in primary care setting, 270
inappropriate use of nonculture tests for detection of *Chlamydia trachomatis* in suspected victims of child sexual abuse, 1137
investigation and review of unexpected infant and child deaths (committee statement), 1158
medical evaluation of sexually abused child (commentary), 178
medical research agenda for child maltreatment (commentary), 168
oral and dental aspects of (committee statement), 348
physically abused adolescents, 43
screening for domestic violence in community pediatric setting, 874
Wood's lamp utility in identification of semen, 1342
Child care
day care attendance in first year of life and illnesses of upper and lower respiratory tract in children with familial history of atopy, 495
issues related to human immunodeficiency virus transmission in schools, child care, medical settings, the home, and community (committee statement), 318
Child pornography, Tanner staging and (letter), 995
Child Sexual Behavior Inventory, Dutch-speaking normative sample, 885
Children's Health Survey for Asthma, reliability and validity of, e71, 1378
Chlamydia trachomatis
inappropriate use of nonculture tests for detection of, in suspected victims of child sexual abuse, 1137
Neisseria gonorrhoeae infections in girls younger than 12 years of age evaluated for vaginitis, e72, 1378
repeated school-based screening for sexually transmitted diseases, 1281
Chorioamnionitis, prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
Chronic illness. *See also* Disabilities
celiac disease associated with familial chronic urticaria and thyroid autoimmunity in child, e25, 295
chronic fatigue syndrome? (letter), 130
Nocardia farcinica pneumonia in

chronic granulomatous disease, 961
population-based study of chronic lung disease in very low birth weight infants in North Carolina in 1994 with comparisons with 1984, e17, 292
prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
recurrent acute life-threatening events and lactic acidosis caused by chronic carbon monoxide poisoning, e34, 555
risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
Cleft lip/palate, dose-dependent effect of folic acid on prevention of, e66, 1376
Clinical trials
comparison between two and five doses a week of recombinant human erythropoietin for anemia of prematurity, 210
dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
effect of blood transfusion protocol on retinopathy of prematurity, 514
observer bias in acellular pertussis vaccine trials (letter), 577, 997
prednisolone treatment of respiratory syncytial virus infection: randomized controlled trial in 147 infants, e77, 1380
prophylactic *Lactobacillus GG* reduces antibiotic-associated diarrhea in children with respiratory infections: randomized study, e64, 1121
randomized controlled trial of low-dose inhaled nitric oxide in treatment of term and near-term infants with respiratory failure and pulmonary hypertension, 1089
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
randomized placebo-controlled trial of erythromycin estolate chemoprophylaxis for household contacts of children with culture-positive *Bordetella pertussis* infection, e42, 953
randomized trial of permissive hypercapnia in preterm infants, 1082
relative efficacy of amethocaine gel and lidocaine-prilocaine cream for Port-a-Cath puncture in children, e31, 554
safety of acetaminophen and ibuprofen among children younger than 2 years old, e39, 952
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
Cocaine
growth of infants prenatally exposed to cocaine/crack: comparison of prenatal care and no prenatal care sample, e18, 293
level of in utero cocaine exposure and neonatal ultrasound findings, 1101
Codeine, intoxication of neonate, e75, 1379
Cognitive function
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
neurologic, neurocognitive, and brain growth outcomes in human immunodeficiency virus-infected children receiving different nucleoside antiretroviral regimens, e32, 554
relationship among genotype, biochemical phenotype, and cognitive performance in females with phenylalanine hydroxylase deficiency, 258
sterilization of minors with developmental disabilities (committee statement), 337
Commentaries
Apnea of prematurity and risk for sudden infant death syndrome, 297
The Birth of Bioethics, 107
Community pediatrics: can it be taught? Can it be practiced?, 111
Edmonston-Zagreb measles vaccine: a good vaccine with an image problem, 1123
How do we safely use inhaled nitric oxide?, 296
Magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders, 558
Medical evaluation of sexually abused child: lessons from a decade of research, 178
Medical research agenda for child maltreatment: negotiating the next steps, 168
New capability: postpublication peer review for *Pediatrics*, 106
The pitfalls of using managed care databases in epidemiologic research, 1124
Pupillary dilation by pediatricians, 958
Pyelonephritis at home-why not?, 109
Role of parents in children's psychological development, 164
RSV immune globulin prophylaxis: Is an ounce of prevention worth a pound of cure?, 559
The science and fiction of pertussis vaccines, 1381
Understanding antibiotic overuse for respiratory tract infections in children, 1384
Why do child cyclists in United States remain unhelmeted?, 107
Communication
appropriate boundaries in pediatrician-family-patient relationship (committee statement), 334
parent-reported language and communication skills at 1 and 2 years of age in relation to otitis media in first 2 years of life, e52, 957
selective mutism-the child who doesn't speak at school, 308
Community pediatrics
block rotation in, 143
can it be taught? Can it be practiced? (commentary), 111
community experiences for residents, 135
facilities and equipment for care of pediatric patients in community hospital (letter), 1417
immunization outreach in inner-city housing development: reminder-recall on foot, e69, 1377
screening for domestic violence in community pediatric setting, 874
Complications
cardiac, in children with human immunodeficiency virus infection, e14, 291
cost of chickenpox in Canada. II. Cost of complicated cases and total economic impact, 7
subacute sclerosing panencephalitis in identical twin, 1390
varicella complicated by group A streptococcal sepsis and osteonecrosis, 967
Computed tomography
clinical indicators of intracranial injury in head-injured infants, 861
effect on patient management and costs in children with suspected appendicitis, 440
Computers and other technologies
abstracts of presentations at annual meeting, 669
improving usage of pediatric information on the Internet: Virtual Children's Hospital, e55, 1118
Confidentiality, privacy protection of health information: patient rights and pediatrician responsibilities (committee statement), 973
Congenital disorders. *See also* Genetics
case of congenital multiple myofibromatosis developing in infant, 113
congenital transmission of visceral leishmaniasis from asymptomatic mother to child, e65, 1122
folic acid for prevention of neural tube defects (committee statement), 325
hypothyroidism and nonimmune hydrops fetalis: associated? (letter), 1416
isolated congenital malabsorption of folic acid in male infant, 1133
pituitary gland gumma in congenital syphilis after failed maternal treatment, e4, 102
prevalence and parental origin in tetralogy of Fallot associated with chromosome 22q11 microdeletion, 87
symptomatic congenital cytomega-

lovirus infection in infants born to mothers with preexisting immunity to cytomegalovirus, 55
video-assisted thoracoscopic surgery for patent ductus arteriosus in low birth weight neonates and infants, 227
Contraception, and adolescents (committee statement), 1161
Cord blood, cord blood banking for potential future transplantation: subject review (committee statement), 116
Corticosteroids
behavioral effects in steroid-sensitive nephrotic syndrome, e51, 956
dexamethasone therapy increases infection in very low birth weight infants, e63, 1121
early dexamethasone therapy and blood cell count in preterm infants, 476
effect of prenatal steroids on water and sodium homeostasis in extremely low birth weight neonates, 482
prednisolone treatment of respiratory syncytial virus infection: randomized controlled trial in 147 infants, e77, 1380
prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
Counseling
firearm injury prevention, 530
sink or swim-clinicians don't often counsel on drowning prevention, 1217
Court system, child in court (committee statement), 1145
Craniofacial conditions
dose-dependent effect of folic acid on prevention of orofacial clefts, e66, 1376
growth hormone and craniofacial changes: preliminary data from studies in Turner's syndrome, 1021
neonatal screening for hearing disorders in infants at risk, 900
Creatinine, plasma creatinine rises dramatically in first 48 hours of life in preterm infants, e76, 1379
Critical care. *See also* Hospital care
abstracts of presentations at annual meeting, 674
prognostication and certainty in pediatric intensive care unit, 868
rehospitalization in first 2 weeks after discharge from neonatal intensive care unit, e2, 101
Crohn's disease, mimicked by *Yersinia* enterocolitis in toddler, e36, 556
Currarino triad, spinal epidural abscess in preverbal children, 1139
Current Procedural Terminology (letter), 577
Cytokines
reduction of unnecessary antibiotic therapy in newborn infants using interleukin-8 and C-reactive protein as markers of bacterial infections, 447
tumor necrosis factor α, interleukin-1β, and interleukin-6 levels in febrile, young children with and without occult bacteremia, 1321
Cytomegalovirus, symptomatic congenital infection in infants born to mothers with preexisting immunity to, 55

Dating violence, gender differences in risk behaviors among adolescents who experience date fighting, 1286
Day care
attendance in first year of life and illnesses of upper and lower respiratory tract in children with familial history of atopy, 495
issues related to human immunodeficiency virus transmission in schools, child care, medical settings, the home, and community (committee statement), 318
Death. *See* Mortality
Decision making, managing disagreements in management of short bowel and hypoplastic left heart syndrome, e48, 955
Defensin, impaired innate immunity in newborn, 1327
Delivery room resuscitation
cardiopulmonary resuscitation in very low birth weight infant: Vermont Oxford Network experience, 428
intact survival in extremely low birth weight infants after delivery room resuscitation, e40, 952
Dentistry
growth hormone and craniofacial changes: preliminary data from studies in Turner's syndrome, 1021
oral and dental aspects of child abuse and neglect (committee statement), 348
Dermatophytes, use of cotton swab method in diagnosing tinea capitis, 276
Developing countries
beneficial effects of weekly low-dose vitamin A supplementation on acute lower respiratory infections and diarrhea in Ecuadorian children, e1, 101
early initiation of breastfeeding and risk of infant diarrhea in rural Egypt, e3, 101
natural history of human immunodeficiency virus type 1 infection in children: 5-year prospective study in Rwanda, e56, 1118
Development. *See also* Growth
brain damage in preterm newborns: might enhancement of developmentally regulated endogenous protection open a door for prevention?, 541
development care does not alter sleep and development of premature infants (letter), 1169
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
impact of low birth weight, perinatal conditions, and sociodemographic factors on educational outcome in kindergarten, e74, 1379
role of parents in children's psychological development (commentary), 164
sexual development in two-year-old boy induced by topical exposure to testosterone, e23, 294
Developmental disorders
magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders, 405, 558 (commentary)
sterilization of minors with developmental disabilities (committee statement), 337
Developmental dysplasia of hip, in infants (letter), 1418
Dexamethasone
dexamethasone therapy increases infection in very low birth weight infants, e63, 1121
early dexamethasone therapy and blood cell count in preterm infants, 476
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
Diabetes mellitus, staging of preclinical type 1 diabetes in siblings of affected children, 925
Diagnosis. *See also* Screening
comparative analysis of serologic screening tests for initial diagnosis of celiac disease, 75
inappropriate use of nonculture tests for detection of *Chlamydia trachomatis* in suspected victims of child sexual abuse, 1137
Kawasaki disease: diagnosis in patients who do not meet American Heart Association criteria, e10, 104
minimum incidence and diagnostic rate of first urinary tract infection, 222
screening tests for urinary tract infection: meta-analysis, e54, 1118
tumor necrosis factor α, interleukin-1β, and interleukin-6 levels in febrile, young children with and without occult bacteremia, 1321

use of cotton swab method in diagnosing tinea capitis, 276
utility of pupillary dilation for detecting leukocoria in patients with retinoblastoma, e44, 954
validity of Uriscreen test for early detection of urinary tract infection in children, e41, 952
Wood's lamp utility in identification of semen, 1342
zinc protoporphyrin/heme ratio for diagnosis of preanemic iron deficiency, e37, 556
Dialysis, for-profit versus not-for-profit dialysis care for children with end stage renal disease, 519
Diarrhea
acute, oral rehydration solution prevents subsequent unscheduled follow-up visits, e29, 553
beneficial effects of weekly low-dose vitamin A supplementation on acute lower respiratory infections and diarrhea in Ecuadorian children, e1, 101
early initiation of breastfeeding and risk of infant diarrhea in rural Egypt, e3, 101
prophylactic *Lactobacillus* GG reduces antibiotic-associated diarrhea in children with respiratory infections, e64, 1121
Yersinia enterocolitis mimicking Crohn's disease in toddler, e36, 556
Didanosine, neurologic, neurocognitive, and brain growth outcomes in human immunodeficiency virus-infected children receiving different nucleoside antiretroviral regimens, e32, 554
Diet and nutrition. *See also* Feeding
beneficial effects of weekly low-dose vitamin A supplementation on acute lower respiratory infections and diarrhea in Ecuadorian children, e1, 101
calcium requirements of infants, children, and adolescents (committee statement), 1152
dendritic spine pathology in infants with severe protein-calorie malnutrition, e21, 294
dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
evaluation of effects of oxandrolone on malnourished HIV-positive pediatric patients, e73, 1378
food allergies (best articles), 362
iron fortification of infant formulas (committee statement), 119
isolated congenital malabsorption of folic acid in male infant, 1133
nutrition of extremely low birth weight infant, 1360
vitamin A supplementation in very low birth weight neonates, 1369
DiGeorge/velocardiofacial syndrome, prevalence and parental origin in tetralogy of Fallot associated with chromosome 22q11 microdeletion, 87
Digital health science libraries, improving usage of pediatric information on the Internet: Virtual Children's Hospital, e55, 1118
Disabilities. *See also* Chronic illness
care coordination: integrating health and related systems of care for children with special health care needs (committee statement), 978
development and evaluation of satisfaction scale for parents of children with special health care needs, 1182
emergency preparedness for children with special health care needs, e53, 957
pediatrician's role in development and implementation of Individual Education Plan and/or Individual Family Service Plan (committee statement), 124
sterilization of minors with developmental disabilities (committee statement), 337
transporting children with special health care needs (committee statement), 988
treatment of neurologically impaired children using patterning (committee statement), 1149
Divorce proceedings, child in court (committee statement), 1145
Drowning, clinicians don't often counsel on prevention of, 1217
Drug abuse. *See* Substance abuse
Drug metabolism in infants and children, 640. *See also* Pediatric pharmacology
Dyslexia, persistence of: Connecticut Longitudinal Study at adolescence, 1351

Echocardiography, cost-effective use in children with Kawasaki disease, e57, 1119
Electroencephalography
magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders, 405, 558 (commentary)
serial neonatal, for determination of timing of brain injury in preterm infants with periventricular leukomalacia, 1077
Electrolytes, changing pattern of hypernatremia in hospitalized children, 435
Emergency medicine
abstracts of presentations at annual meeting, 683
emergency preparedness for children with special health care needs, e53, 957
foster care problem (letter), 998
predicting need for topical anesthetic in pediatric emergency department, e19, 293
sedation in emergency situations (letter), 1167
Wood's lamp utility in identification of semen, 1342
Encephalitis
demyelinative brainstem encephalitis responsive to intravenous immunoglobulin therapy, 301
subacute sclerosing panencephalitis in identical twin, 1390
Endocrinology. *See* Hormones
Endomysial antibodies, comparative analysis of serologic screening tests for initial diagnosis of celiac disease, 75
Endoscopic retrograde cholangiopancreatography, pancreatic duct stenting as treatment for hereditary pancreatitis, 1129
Environmental health
community-based randomized trial encouraging sun protection for children (letter), 355
environmental allergens (best articles), 359, 380
toxic effects of indoor molds (letter), 576
ultraviolet light: a hazard to children (committee statement), 328
Enzyme deficiency, relationship among genotype, biochemical phenotype, and cognitive performance in females with phenylalanine hydroxylase deficiency, 258
Epidemiology
changing, of group B streptococcal colonization, 203
natural history of human immunodeficiency virus type 1 infection in children: 5-year prospective study in Rwanda, e56, 1118
pitfalls of using managed care databases in epidemiologic research (commentary), 1124
population-based study of chronic lung disease in very low birth weight infants in North Carolina in 1994 with comparisons with 1984, e17, 292
rehospitalization for respiratory syncytial virus among premature infants, 894
reliability and validity of Children's Health Survey for Asthma, e71, 1378
of SIDS and explained sudden infant deaths, e43, 953
Epilepsy
magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders, 405, 558 (commentary)
managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106
Epinephrine, pediatric myocardial infarction after racemic epinephrine administration, e9, 103
Erythromycin estolate, randomized, placebo-controlled trial of erythromycin estolate chemoprophylaxis for household contacts of children with culture-positive *Bordetella pertussis* infection, e42, 953
Erythropoietin, comparison between two and five doses a week of recombinant human erythropoietin for anemia of prematurity, 210
Ethical issues
appropriate boundaries in pediatrician-family-patient relationship (committee statement), 334
The Birth of Bioethics (commentary), 107
cord blood banking for potential fu-

ture transplantation: subject review (committee statement), 116
sterilization of minors with developmental disabilities (committee statement), 337
Ethnicity
black and white middle class children who have private health insurance in United States, 151
differences in knowledge of hepatitis B among Vietnamese, African American, Hispanic, and white adolescents in Worcester, Massachusetts, 1212
frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
immunizations for Native American children (committee statement), 564
infant sleep position: telephone survey of inner-city parents of color, 1208
prevention of unintentional injury among American Indian and Alaska Native children (committee statement), 1397
Eutectic mixture of local anesthetic, predicting need for topical anesthetic in pediatric emergency department, e19, 293
Evidence-based medicine, evaluation of evidence-based guideline for bronchiolitis, 1334
Exercise
effects of different resistance training protocols on muscle strength and endurance development in children, e5, 102
keeping children with exercise-induced asthma active, e38, 556
prevention of exercise-induced bronchospasm in pediatric asthma patients: comparison of two salmeterol powder delivery devices, 501
Extracorporeal membrane oxygenation
how do we safely use inhaled nitric oxide? (commentary), 296
safety of withdrawing inhaled nitric oxide therapy in persistent pulmonary hypertension of newborn, 231
Eye disorders. *See* Ophthalmology

Family. *See also* Home environment; Mothers; Parents
appropriate boundaries in pediatrician-family-patient relationship (committee statement), 334
characteristics of families who attend free vaccine fairs, 158
randomized, placebo-controlled trial of erythromycin estolate chemoprophylaxis for household contacts of children with culture-positive *Bordetella pertussis* infection, e42, 953
staging of preclinical type 1 diabetes in siblings of affected children, 925
Fatigue
chronic fatigue syndrome? (letter), 130
sleep disturbances in children with human immunodeficiency virus infection, e62, 1121
Fatty acids, dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
Feeding. *See also* Diet and nutrition
breastfeeding patterns in relation to thumb sucking and pacifier use, e50, 956
dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
early initiation of breastfeeding and risk of infant diarrhea in rural Egypt, e3, 101
health system factors contributing to success of breastfeeding, e28, 552
iron fortification of infant formulas (committee statement), 119
nutrition of extremely low birth weight infant, 1360
physiologic stability of newborns during cup- and bottle-feeding, 1204
previously healthy infants may have increased risk of aspiration during respiratory syncytial viral bronchiolitis, 1389
serum concentrations of antidepressants and benzodiazepines in nursing infants, e11, 104
weight gain in infants breastfed by mothers who take fluoxetine, e61, 1120
Felbamate, managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106
Fetus
effect of prenatal steroids on water and sodium homeostasis in extremely low birth weight neonates, 482
growth of infants prenatally exposed to cocaine/crack: comparison of prenatal care and no prenatal care sample, e18, 293
level of in utero cocaine exposure and neonatal ultrasound findings, 1101
Fever
oral versus initial intravenous therapy for urinary tract infections in young febrile children, 79
tumor necrosis factor α, interleukin-1β, and interleukin-6 levels in febrile, young children with and without occult bacteremia, 1321
Firearms
in the house: parental perceptions, 1059
injury prevention counseling, 530
Fluids, oral rehydration solution for acute diarrhea prevents subsequent unscheduled follow-up visits, e29, 553
Fluoxetine, weight gain in infants breastfed by mothers who take, e61, 1120
Folic acid
dose-dependent effect on prevention of orofacial clefts, e66, 1376
isolated congenital malabsorption of, in male infant, 1133
for prevention of neural tube defects (committee statement), 325
Formula feeding
dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
iron fortification of infant formulas (committee statement), 119
nutrition of extremely low birth weight infant, 1360
physiologic stability of newborns during cup- and bottle-feeding, 1204
Foster care problem (letter), 998
Fungal infection
candidal mycetoma in neonatal kidney, 1126
isolation of *Stachybotrys* from lung of child with pulmonary hemosiderosis, 964

Gabapentin, managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106
Gastrointestinal system
analysis of gastrointestinal sounds in infants with pyloric stenosis before and after pyloromyotomy, e60, 1120
comparative analysis of serologic screening tests for initial diagnosis of celiac disease, 75
long-term follow-up study of serum immunoglobulin G and immunoglobulin A antibodies after *Helicobacter pylori* eradication, e22, 294
managing disagreements in management of short bowel and hypoplastic left heart syndrome, e48, 955
natural outcome of *Helicobacter pylori* infection in asymptomatic children, 216
possible association of intussusception with rotavirus vaccination (committee statement), 575
safety of acetaminophen and ibuprofen among children younger than 2 years old, e39, 952
Yersinia enterocolitis mimicking Crohn's disease in toddler, e36, 556
Gastrostomy tube, resolution of HIV-associated nephrotic syndrome with highly active antiretroviral therapy delivered by, 1394
Gatekeeping, and referral of children and adolescents to specialty care, 28
Gender differences, in risk behaviors among adolescents who experience date fighting, 1286
Genetics
evidence for independent genetic influences on fat mass and body mass index in pediatric twin sample, 61
folic acid for prevention of neural tube defects (committee statement), 325
45,X/46,XY mosaicism: report of 27 cases, 304
neonatal hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient heterozygotes, 68
prevalence and parental origin in tetralogy of Fallot associated with

chromosome 22q11 microdeletion, 87
relationship among genotype, biochemical phenotype, and cognitive performance in females with phenylalanine hydroxylase deficiency, 258
Gestational age
concurrent child health status and maternal recall of events in infancy, 1176
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
Girls
gender differences in risk behaviors among adolescents who experience date fighting, 1286
Neisseria gonorrhoeae infections in girls younger than 12 years of age evaluated for vaginitis, e72, 1378
reexamination of age limit for defining when puberty is precocious in girls in United States, 936
Gliadin antibodies, comparative analysis of serologic screening tests for initial diagnosis of celiac disease, 75
Glucose-6-phosphate dehydrogenase deficiency, neonatal hyperbilirubinemia in heterozygotes for, 68
Gonadal dysgenesis, 45,X/46,XY mosaicism: report of 27 cases, 304
Gonadotropin-releasing hormone analogues
combined use of growth hormone and, in precocious puberty: theoretic and practical considerations, 1010
combined use of growth hormone and: National Cooperative Growth Study experience, 1014
Gonorrhea
Neisseria gonorrhoeae infections in girls younger than 12 years of age evaluated for vaginitis, e72, 1378
repeated school-based screening for sexually transmitted diseases, 1281
Growth. *See also* Development
analysis of bone age data from National Cooperative Growth Study substudy VII, 1031
dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
growth of infants prenatally exposed to cocaine/crack: comparison of prenatal care and no prenatal care sample, e18, 293
insulin-like growth factor binding protein superfamily, 1018
longitudinal growth of hospitalized very low birth weight infants, 280
nutrition of extremely low birth weight infant, 1360
Growth hormone
adult height in growth hormone deficiency, 1000
analysis of bone age data from National Cooperative Growth Study substudy VII, 1031
combined use of growth hormone and gonadotropin-releasing hormone analogues: National Cooperative Growth Study experience, 1014
combined use of growth hormone and gonadotropin-releasing hormone analogues in precocious puberty: theoretic and practical considerations, 1010
and craniofacial changes: preliminary data from studies in Turner's syndrome, 1021
growth hormone stimulation test results as predictors of recombinant human growth hormone treatment outcomes, 1028
issues in transition from childhood to adult growth hormone therapy, 1004
melanocytic nevi in children treated with, 1045
methods in determining growth hormone concentrations: immunofunctional assay, 1024
regular monitoring of bone age is not useful in children treated with, 1036
regular monitoring of bone age is useful in children treated with, 1039

Haemophilus influenzae type B vaccine, for Native American children (committee statement), 564
Head injury
clinical indicators of intracranial injury in head-injured infants, 861
management of minor closed head injury in children (committee statement), 1407
technical report: minor head injury in children, e78, 1380
why do child cyclists in United States remain unhelmeted? (commentary), 107
Health care costs
characteristics of families who attend free vaccine fairs, 158
cost-effective use of echocardiography in children with Kawasaki disease, e57, 1119
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
cost-effectiveness of treatment for threshold retinopathy of prematurity, e47, 955
cost of chickenpox in Canada
complicated cases and total economic impact, 7
uncomplicated cases, 1
effect of computed tomography on patient management and costs in children with suspected appendicitis, 440
IMpact-RSV Study Group report (letter), 993
short-term health and economic benefits of smoking cessation: low birth weight, 1312
Health care personnel, assessment of exposure to nitrogen oxides during inhaled nitric oxide treatment of neonatal and pediatric patients, 1095
Health data
annual summary of vital statistics-1998, 1229
foster care problem (letter), 998
privacy protection of health information: patient rights and pediatrician responsibilities (committee statement), 973
Health insurance. *See also* Managed care; Medicaid
adolescent health insurance coverage: recent changes and access to care, 195
black and white middle class children who have private health insurance in United States, 151
characteristics of families who attend free vaccine fairs, 158
crowd out: evidence from Florida Healthy Kids Program, 507
impact of children's health insurance program by age, 1051
Medicaid policy statement (committee statement), 344
utilization of physician offices by adolescents in United States, 35
Health status
concurrent child health status and maternal recall of events in infancy, 1176
short-term health and economic benefits of smoking cessation: low birth weight, 1312
Hearing
neonatal screening for hearing disorders in infants at risk, 900
relative and attributable risks for moderate to profound bilateral sensorineural hearing impairment associated with lower birth weight in children 3 to 10 years old, 905
universal newborn hearing screening (letter), 351
Heart disease. *See* Cardiovascular disease
Helicobacter pylori infection
long-term follow-up study of serum immunoglobulin G and immunoglobulin A antibodies after eradication of, e22, 294
natural outcome in asymptomatic children, 216
Hematology, zinc protoporphyrin/heme ratio for diagnosis of preanemic iron deficiency, e37, 556
Hemosiderosis, pulmonary, isolation of *Stachybotrys* from lung of child with, 964
Hepatitis
differences in knowledge of hepatitis B among Vietnamese, African American, Hispanic, and white adolescents in Worcester, Massachusetts, 1212
immunizations for Native American children (committee statement), 564
Hepatopulmonary syndrome, exhaled nitric oxide and, in 6-year-old child, 299
Hip dysplasia, in infants (letter), 1418
HIV. *See* Human immunodeficiency virus infection
Home environment
effect of weekend on risk of sudden

infant death syndrome, e58, 1119
firearms in the house: parental perceptions, 1059
home care of pyelonephritis-why not? (commentary), 109
issues related to human immunodeficiency virus transmission in schools, child care, medical settings, the home, and community (committee statement), 318
screening for domestic violence in community pediatric setting, 874
toxic effects of indoor molds (letter), 576
Hormones
adult height in growth hormone deficiency, 1000
combined use of growth hormone and gonadotropin-releasing hormone analogues: National Cooperative Growth Study experience, 1014
combined use of growth hormone and gonadotropin-releasing hormone analogues in precocious puberty: theoretic and practical considerations, 1010
growth hormone and craniofacial changes: preliminary data from studies in Turner's syndrome, 1021
growth hormone stimulation test results as predictors of recombinant human growth hormone treatment outcomes, 1028
insulin-like growth factor binding protein superfamily, 1018
issues in transition from childhood to adult growth hormone therapy, 1004
melanocytic nevi in children treated with growth hormone, 1045
methods in determining growth hormone concentrations: immunofunctional assay, 1024
persistent infantile hypothyroidism attributable to thyroxine-binding globulin deficiency, 312
regular monitoring of bone age is not useful in children treated with growth hormone, 1036
regular monitoring of bone age is useful in children treated with growth hormone, 1039
sexual development in two-year-old boy induced by topical exposure to testosterone, e23, 294
Hospital care
cardiopulmonary resuscitation in very low birth weight infant: Vermont Oxford Network experience, 428
changing pattern of hypernatremia in hospitalized children, 435
changing pattern of neonatal mortality in regionalized system of perinatal care, 1064
early perinatal hospital discharge and parenting during infancy, 1070
facilities and equipment for care of pediatric patients in community hospital (letter), 1417
increase in admission threshold explains stable asthma hospitalization rates, 454
intact survival in extremely low birth weight infants after delivery room resuscitation, e40, 952
longitudinal growth of hospitalized very low birth weight infants, 280
predicting deterioration in previously healthy infants hospitalized with respiratory syncytial virus infection, 463
prognostication and certainty in pediatric intensive care unit, 868
rehospitalization for respiratory syncytial virus among premature infants, 894
rehospitalization in first 2 weeks after discharge from neonatal intensive care unit, e2, 101
smoking during pregnancy and hospitalization of child, e46, 955
Human immunodeficiency virus (HIV) infection
best articles, 400
cardiac complications in children with, e14, 291
evaluation of effects of oxandrolone on malnourished HIV-positive pediatric patients, e73, 1378
human immunodeficiency virus and other blood-borne viral pathogens in the athletic setting (committee statement), 1400
issues related to transmission in schools, child care, medical settings, the home, and community (committee statement), 318
natural history in children: 5-year prospective study in Rwanda, e56, 1121
neurologic, neurocognitive, and brain growth outcomes in children receiving different nucleoside antiretroviral regimens, e32, 554
resolution of HIV-associated nephrotic syndrome with highly active antiretroviral therapy delivered by gastrostomy tube, 1394
screening for (committee statement), 128
sleep disturbances in children with, e62, 1121
Sweet's syndrome as initial manifestation of, 1142
unexpected non-HIV causes of death in children born to HIV-infected mothers, e6, 102
Hydration, oral rehydration solution for acute diarrhea prevents subsequent unscheduled follow-up visits, e29, 553
Hydrocortisone, prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
Hydrops fetalis, nonimmune, and congenital hypothyroidism: associated? (letter), 1416
Hyperbilirubinemia
frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
neonatal, in glucose-6-phosphate dehydrogenase-deficient heterozygotes, 68
Hypercapnia, randomized trial of permissive hypercapnia in preterm infants, 1082
Hypernatremia, changing pattern in hospitalized children, 435
Hyperthyroidism, novel feature of tubulointerstitial nephritis and uveitis syndrome, 314
Hypoplastic left heart syndrome, managing disagreements in management of short bowel and, e48, 955
Hypothermia, role in asphyxia (letter), 1169
Hypothyroidism
congenital, and nonimmune hydrops fetalis: associated? (letter), 1416
persistent infantile, attributable to thyroxine-binding globulin deficiency, 312
Hypoxemia
exhaled nitric oxide and hepatopulmonary syndrome in 6-year-old child, 299
how do we safely use inhaled nitric oxide? (commentary), 296

Ibuprofen, safety of acetaminophen and ibuprofen among children younger than 2 years old, e39, 952
Imaging
analysis of bone age data from National Cooperative Growth Study substudy VII, 1031
clinical indicators of intracranial injury in head-injured infants, 861
cost-effective use of echocardiography in children with Kawasaki disease, e57, 1119
effect of computed tomography on patient management and costs in children with suspected appendicitis, 440
neurofibromatosis bright objects in children with neurofibromatosis 1, e49, 956
regular monitoring of bone age is not useful in children treated with growth hormone, 1036
regular monitoring of bone age is useful in children treated with growth hormone, 1039
Immigration, and tuberculosis among children on United States-Mexico border, County of San Diego, California, e8, 103
Immune system
best articles on immunodeficiency, 397
immunofunctional assay for determining growth hormone concentrations, 1024
impaired innate immunity in newborn, 1327
Immunization
acellular vaccines containing reduced quantities of pertussis antigens as booster in adolescents, e70, 1377
best articles, 402
characteristics of families who attend free vaccine fairs, 158
Edmonston-Zagreb measles vaccine (commentary), 1123
immunization outreach in inner-city housing development: reminder-recall on foot, e69, 1377

immunizations for Native American children (committee statement), 564
joint statement of AAP and United States Public Health Service regarding thimerosal in vaccines (committee statement), 568
lessons learned from review of development of selected vaccines, 942
observer bias in acellular pertussis vaccine trials (letter), 997
pneumococcal polysaccharide vaccine in pregnancy (letter), 1417
possible association of intussusception with rotavirus vaccination (committee statement), 575
prevention of poliomyelitis: recommendations for use of only inactivated poliovirus vaccine for routine immunization (committee statement), 1404
previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
rotavirus vaccine (letter), 1419
science and fiction of pertussis vaccine (commentary), 1381
thimerosal in vaccines-update to clinicians (committee statement), 568
use of physician financial incentives and feedback to improve pediatric preventive care in Medicaid managed care, 931
Vaccines for Children program, United States, 1997, e15, 291
varicella outbreaks after vaccine licensure: should they make you chicken?, 561
varicella vaccine (letter), 132
Immunoglobulins
demyelinative brainstem encephalitis responsive to intravenous immunoglobulin therapy, 301
long-term follow-up study of serum immunoglobulin G and immunoglobulin A antibodies after *Helicobacter pylori* eradication, e22, 294
Individual Education Plan/Individual Family Service Plan, pediatrician's role in development and implementation of (committee statement), 124
Infants. *See also* Low birth weight; Neonates; Prematurity
analysis of gastrointestinal sounds in infants with pyloric stenosis before and after pyloromyotomy, e60, 1120
breastfeeding patterns in relation to thumb sucking and pacifier use, e50, 956
calcium requirements of infants, children, and adolescents (committee statement), 1152
case of congenital multiple myofibromatosis developing in infant, 113
congenital hypothyroidism and nonimmune hydrops fetalis: associated? (letter), 1416
dendritic spine pathology in infants with severe protein-calorie malnutrition, e21, 294
dietary long-chain polyunsaturated fatty acids do not influence growth of term infants, 468
effect of weekend on risk of sudden infant death syndrome, e58, 1119
evaluation of evidence-based guideline for bronchiolitis, 1334
growth of infants prenatally exposed to cocaine/crack: comparison of prenatal care and no prenatal care sample, e18, 293
head-injured, clinical indicators of intracranial injury in, 861
hip dysplasia in (letter), 1418
impact of children's health insurance program by age, 1051
increased susceptibility to measles in United States, e59, 1120
investigation and review of unexpected infant and child deaths (committee statement), 1158
longitudinal growth of hospitalized very low birth weight infants, 280
myoclonic movements in very low birth weight premature infants associated with midazolam intravenous bolus administration (letter), 579
persistent infantile hypothyroidism attributable to thyroxine-binding globulin deficiency, 312
predicting deterioration in previously healthy infants hospitalized with respiratory syncytial virus infection, 463
prednisolone treatment of respiratory syncytial virus infection: randomized controlled trial in 147 infants, e77, 1380
previously healthy infants may have increased risk of aspiration during respiratory syncytial viral bronchiolitis, 1389
rehospitalization for respiratory syncytial virus among premature infants, 894
safety of acetaminophen and ibuprofen among children younger than 2 years old, e39, 952
sleep position: telephone survey of inner-city parents of color, 1208
spinal epidural abscess in preverbal children: case report with Currarino triad, 1139
symptomatic congenital cytomegalovirus infection in infants born to mothers with preexisting immunity to cytomegalovirus, 55
weight gain in infants breastfed by mothers who take fluoxetine, e61, 1120
why prone position is a risk factor for sudden infant death syndrome, 263
Infectious disease. *See also* specific infections
antimicrobial use for pediatric upper respiratory infections: reported practice, actual practice, and parent beliefs, 1251
beneficial effects of weekly low-dose vitamin A supplementation on acute lower respiratory infections and diarrhea in Ecuadorian children, e1, 101
best articles, 402
candidal mycetoma in neonatal kidney, 1126
cardiac complications in children with human immunodeficiency virus infection, e14, 291
changing epidemiology of group B streptococcal colonization, 203
congenital transmission of visceral leishmaniasis from asymptomatic mother to child, e65, 1122
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
day care attendance in first year of life and illnesses of upper and lower respiratory tract in children with familial history of atopy, 495
dexamethasone therapy increases infection in very low birth weight infants, e63, 1121
human immunodeficiency virus and other blood-borne viral pathogens in the athletic setting (committee statement), 1400
human immunodeficiency virus screening (committee statement), 128
increased susceptibility to measles in infants in United States, e59, 1120
isolation of *Stachybotrys* from lung of child with pulmonary hemosiderosis, 964
issues related to human immunodeficiency virus transmission in schools, child care, medical settings, the home, and community (committee statement), 318
minimum incidence and diagnostic rate of first urinary tract infection, 222
natural outcome of *Helicobacter pylori* infection in asymptomatic children, 216
Nocardia farcinica pneumonia in chronic granulomatous disease, 961
oral versus initial intravenous therapy for urinary tract infections in young febrile children, 79
pituitary gland gumma in congenital syphilis after failed maternal treatment, e4, 102
predicting deterioration in previously healthy infants hospitalized with respiratory syncytial virus infection, 463
previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
prophylactic *Lactobacillus GG* reduces antibiotic-associated diarrhea in children with respiratory infections, e64, 1121
pyelonephritis at home-why not? (commentary), 109
randomized, placebo-controlled trial of erythromycin estolate chemoprophylaxis for household contacts of children with culture-

positive *Bordetella pertussis* infection, e42, 953
reduction of unnecessary antibiotic therapy in newborn infants using interleukin-8 and C-reactive protein as markers of bacterial infections, 447
rehospitalization for respiratory syncytial virus among premature infants, 894
RSV immune globulin prophylaxis: is a ounce of prevention worth a pound of cure? (commentary), 559
screening tests for urinary tract infection: meta-analysis, e54, 1118
symptomatic congenital cytomegalovirus infection in infants born to mothers with preexisting immunity to cytomegalovirus, 55
tumor necrosis factor α, interleukin-1β, and interleukin-6 levels in febrile, young children with and without occult bacteremia, 1321
understanding antibiotic overuse for respiratory tract infections in children (commentary), 1384
validity of Uriscreen test for early detection of urinary tract infection in children, e41, 952
varicella complicated by group A streptococcal sepsis and osteonecrosis, 967
varicella outbreaks after vaccine licensure: should they make you chicken?, 561

Injuries
abstracts of presentations at annual meeting, 696
clinical indicators of intracranial injury in head-injured infants, 861
danger of artificial nails (letter), 132
firearm injury prevention counseling, 530
firearms in the house: parental perceptions, 1059
identification of risk factors in rat bite incidents involving humans, e35, 555
looking beyond physical injury: posttraumatic stress disorder in children and parents after pediatric traffic injury, 1293
management of minor closed head injury in children (committee statement), 1407
plastic hair balls—a real hazard! (letter), 132
prevention of unintentional injury among American Indian and Alaska Native children (committee statement), 1397
rollover injuries in residential driveways: age-related patterns of injury, e7, 103
sink or swim-clinicians don't often counsel on drowning prevention, 1217
technical report: minor head injury in children, e78, 1380
why do child cyclists in United States remain unhelmeted? (commentary), 107

Inner city
immunization outreach in inner-city housing development: reminder-recall on foot, e69, 1377
infant sleep position: telephone survey of inner-city parents of color, 1208
relationship between psychosocial factors and asthma morbidity in inner-city children with asthma, 1274

Insulin-like growth factor binding protein superfamily, 1018

Interleukins
reduction of unnecessary antibiotic therapy in newborn infants using interleukin-8 and C-reactive protein as markers of bacterial infections, 447
tumor necrosis factor α, interleukin-1β, and interleukin-6 levels in febrile, young children with and without occult bacteremia, 1321

Internet, improving usage of pediatric information on: Virtual Children's Hospital, e55, 1118

Iron deficiency
iron fortification of infant formulas (committee statement), 119
preanemic, zinc protoporphyrin/heme ratio for diagnosis of, e37, 556

Jaundice
frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
neonatal hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient heterozygotes, 68

Jews, neonatal hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient heterozygotes, 68

Kala azar, congenital transmission of visceral leishmaniasis from asymptomatic mother to child, e65, 1122

Kawasaki disease
cost-effective use of echocardiography in children with, e57, 1119
diagnosis in patients who do not meet American Heart Association criteria, e10, 104

Kidney disease
behavioral effects of corticosteroids in steroid-sensitive nephrotic syndrome, e51, 956
candidal mycetoma in neonatal kidney, 1126
for-profit versus not-for-profit dialysis care for children with end stage renal disease, 519
hyperthyroidism: novel feature of tubulointerstitial nephritis and uveitis syndrome, 314
plasma creatinine rises dramatically in first 48 hours of life in preterm infants, e76, 1379
pyelonephritis at home-why not? (commentary), 109
resolution of HIV-associated nephrotic syndrome with highly active antiretroviral therapy delivered by gastrostomy tube, 1394
too little water intake causing nephrolithiasis, revealed by too much water (letter), 578

Kikuchi's disease, with multisystemic involvement and adverse reactions to drugs, e24, 294

Labeling of drugs. *See also* Pediatric pharmacology
European regulatory authorities and pediatric labeling, 614
is pediatric labeling necessary?, 593
off-label use of drugs in children, 598
role of Pediatric Pharmacology Research Unit network, 644
stable isotopes labeling, 598

β-Lactam antibiotics, allergy to, e45, 954

Lactation consultant, health system factors contributing to success of breastfeeding, e28, 552

Lactic acidosis, recurrent acute life-threatening events and lactic acidosis caused by chronic carbon monoxide poisoning, e34, 555

Lactobacillus GG, prophylactic, reduces antibiotic-associated diarrhea in children with respiratory infections, e64, 1121

Lamotrigine, managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106

Landau-Kleffner syndrome, magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders, 405, 558 (commentary)

Language. *See* Speech and language

Lead poisoning, from unusual sources, 1223

Learning disorders, persistence of dyslexia: Connecticut Longitudinal Study at adolescence, 1351

Legal issues
child in court (committee statement), 1145
investigation and review of unexpected infant and child deaths (committee statement), 1158
privacy protection of health information: patient rights and pediatrician responsibilities (committee statement), 973
restraining orders: a frequent marker of adverse maternal health, 249
Tanner staging and pornography (letter), 995
Wood's lamp utility in identification of semen, 1342

Leishmaniasis, visceral, congenital transmission from asymptomatic mother to child, e65, 1122

Leukocoria
pupillary dilation by pediatricians (commentary), 958
utility of pupillary dilation for detecting leukocoria in patients with retinoblastoma, e44, 954

Lidocaine-prilocaine cream, relative efficacy of amethocaine gel and lidocaine-prilocaine cream for Port-a-Cath puncture in children, e31, 554

Ligase chain reaction, repeated school-based screening for sexually transmitted diseases, 1281

Liver disease
exhaled nitric oxide and hepatopulmonary syndrome in 6-year-old child, 299

Kikuchi's disease with multisystemic involvement and adverse reactions to drugs, e24, 294
Low birth weight. *See also* Neonates; Prematurity
annual summary of vital statistics-1998, 1229
cardiopulmonary resuscitation in very low birth weight infant: Vermont Oxford Network experience, 428
comparison between two and five doses a week of recombinant human erythropoietin for anemia of prematurity, 210
dexamethasone therapy increases infection in very low birth weight infants, e63, 1121
effect of prenatal steroids on water and sodium homeostasis in extremely low birth weight neonates, 482
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
impact of low birth weight, perinatal conditions, and sociodemographic factors on educational outcome in kindergarten, e74, 1379
intact survival in extremely low birth weight infants after delivery room resuscitation, e40, 952
longitudinal growth of hospitalized very low birth weight infants, 280
myoclonic movements in very low birth weight premature infants associated with midazolam intravenous bolus administration (letter), 579
nutrition of extremely low birth weight infant, 1360
population-based study of chronic lung disease in very low birth weight infants in North Carolina in 1994 with comparisons with 1984, e17, 292
prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
relative and attributable risks for moderate to profound bilateral sensorineural hearing impairment associated with lower birth weight in children 3 to 10 years old, 905
risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
short-term health and economic benefits of smoking cessation, 1312
video-assisted thoracoscopic surgery for patent ductus arteriosus in low birth weight neonates and infants, 227
vitamin A supplementation in very low birth weight neonates, 1369
Lung disease
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
increase in admission threshold explains stable asthma hospitalization rates, 454
isolation of *Stachybotrys* from lung of child with pulmonary hemosiderosis, 964
keeping children with exercise-induced asthma active, e38, 556
population-based study of chronic lung disease in very low birth weight infants in North Carolina in 1994 with comparisons with 1984, e17, 292
prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
randomized, controlled trial of low-dose inhaled nitric oxide in treatment of term and near-term infants with respiratory failure and pulmonary hypertension, 1089
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
rehospitalization for respiratory syncytial virus among premature infants, 894
risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
vitamin A supplementation in very low birth weight neonates, 1369
Lymphadenitis, Kikuchi's disease with multisystemic involvement and adverse reactions to drugs, e24, 294

Magnetic resonance imaging, neurofibromatosis bright objects in children with neurofibromatosis 1, e49, 956
Magnetoencephalography, patterns of epileptiform activity in children with regressive autism spectrum disorders, 405, 558 (commentary)
Malabsorption, isolated congenital malabsorption of folic acid in male infant, 1133
Malignant melanoma
physiology of pigmented nevi, 1042
ultraviolet light: a hazard to children (committee statement), 328
Malnutrition. *See also* Diet and nutrition
dendritic spine pathology in infants with severe protein-calorie malnutrition, e21, 294
evaluation of effects of oxandrolone on malnourished HIV-positive pediatric patients, e73, 1378
Managed care
adherence to AAP guidelines for well-child care under, 536
comparison of perinatal outcomes among TennCare managed care organizations, 523
crowd out: evidence from Florida Healthy Kids Program, 507
frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
gatekeeping and referral of children and adolescents to specialty care, 28
Medicaid policy statement (committee statement), 344
pediatric physician profiling (committee statement), 970
pitfalls of using managed care databases in epidemiologic research (commentary), 1124
use of physician financial incentives and feedback to improve pediatric preventive care in Medicaid managed care, 931
Marijuana, continuing concern for pediatricians (committee statement), 982
Mass media
media education (committee statement), 341
television-viewing habits and sleep disturbance in school children, e27, 552
Measles
Edmonston-Zagreb measles vaccine (commentary), 1123
increased susceptibility in infants in United States, e59, 1120
previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
subacute sclerosing panencephalitis in identical twin, 1390
Medicaid
adherence to AAP guidelines for well-child care under managed care, 536
adolescent health insurance coverage: recent changes and access to care, 195
cohort study of resource use by Medicaid children with asthma, 310
comparison of perinatal outcomes among TennCare managed care organizations, 523
for-profit versus not-for-profit dialysis care for children with end stage renal disease, 519
influence of having an assigned Medicaid primary care physician on utilization of otitis media-related services, 1192
policy statement (committee statement), 344
use of physician financial incentives and feedback to improve pediatric preventive care in Medicaid managed care, 931
Medical education

academic general pediatrician: is species still endangered?, 137
block rotation in community pediatrics, 143
community experiences for residents, 135
community pediatrics: can it be taught? Can it be practiced? (commentary), 111
how pediatric educators know what to teach: use of teaching scripts, 148
Medical libraries, improving usage of pediatric information on the Internet: Virtual Children's Hospital, e55, 1118
Medical statistics, annual summary of vital statistics-1998, 1229
Metabolic disorders
development of guidelines for treatment of children with phenylketonuria, e67, 1376
neonatal hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient heterozygotes, 68
phenylketonuria management for optimal outcome, e68, 1377
relationship among genotype, biochemical phenotype, and cognitive performance in females with phenylalanine hydroxylase deficiency, 258
Methylphenidate, comparison of morning, midday, and late-afternoon methylphenidate with morning and late-afternoon Adderall in children with attention-deficit/hyperactivity disorder, 1300
Midazolam, myoclonic movements in very low birth weight premature infants associated with midazolam intravenous bolus administration (letter), 579
Molds, toxic effects of indoor molds (letter), 576
Mortality
annual summary of vital statistics-1998, 1229
apnea of prematurity and risk for sudden infant death syndrome (commentary), 297
changing pattern of neonatal mortality in regionalized system of perinatal care, 1064
effect of weekend on risk of sudden infant death syndrome, e58, 1119
epidemiology of SIDS and explained sudden infant deaths, e43, 953
investigation and review of unexpected infant and child deaths (committee statement), 1158
prevention of unintentional injury among American Indian and Alaska Native children (committee statement), 1397
prognostication and certainty in pediatric intensive care unit, 868
unexpected non-HIV causes of death in children born to HIV-infected mothers, e6, 102
why prone position is a risk factor for sudden infant death syndrome, 263
Mosaicism, 45,X/46,XY mosaicism: report of 27 cases, 304
Mothers. *See also* Family; Parents
concurrent child health status and maternal recall of events in infancy, 1176
congenital transmission of visceral leishmaniasis from asymptomatic mother to child, e65, 1122
effect of weekend on risk of sudden infant death syndrome, e58, 1119
HIV-infected, unexpected non-HIV causes of death in children born to, e6, 102
maternal cigarette smoking during pregnancy is independent predictor for symptoms of middle ear disease at five years' postdelivery, e16, 292
relationship among genotype, biochemical phenotype, and cognitive performance in females with phenylalanine hydroxylase deficiency: report from Maternal Phenylketonuria Collaborative Study, 258
restraining orders: a frequent marker of adverse maternal health, 249
short-term health and economic benefits of smoking cessation: low birth weight, 1312
symptomatic congenital cytomegalovirus infection in infants born to mothers with preexisting immunity to cytomegalovirus, 55
weight gain in infants breastfed by mothers who take fluoxetine, e61, 1120
Motor vehicles
effect of passenger airbags on child seating behavior in, 1247
looking beyond physical injury: posttraumatic stress disorder in children and parents after pediatric traffic injury, 1293
rollover injuries in residential driveways: age-related patterns of injury, e7, 103
safe transportation of newborns at hospital discharge (committee statement), 986
transporting children with special health care needs (committee statement), 988
Mumps, previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
Muscle
case of congenital multiple myofibromatosis developing in infant, 113
effects of different resistance training protocols on muscle strength and endurance development in children, e5, 102
Mutism, selective, the child who doesn't speak at school, 308
Myeloperoxidase, impaired innate immunity in newborn, 1327
Myocardial infarction, pediatric, after racemic epinephrine administration, e9, 103
Myoclonic movements, in very low birth weight premature infants associated with midazolam intravenous bolus administration (letter), 579
Myofibromatosis, congenital multiple, in infant, 113

National Cooperative Growth Study
adult height in growth hormone deficiency, 1000
analysis of bone age data from substudy VII of, 1031
combined use of growth hormone and gonadotropin-releasing hormone analogues: National Cooperative Growth Study experience, 1014
combined use of growth hormone and gonadotropin-releasing hormone analogues in precocious puberty: theoretic and practical considerations, 1010
growth hormone and craniofacial changes: preliminary data from studies in Turner's syndrome, 1021
growth hormone stimulation test results as predictors of recombinant human growth hormone treatment outcomes, 1028
insulin-like growth factor binding protein superfamily, 1018
issues in transition from childhood to adult growth hormone therapy, 1004
melanocytic nevi in children treated with growth hormone, 1045
methods in determining growth hormone concentrations: immunofunctional assay, 1024
regular monitoring of bone age is not useful in children treated with growth hormone, 1036
regular monitoring of bone age is useful in children treated with growth hormone, 1039
National Health and Nutrition Examination Survey, growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
National Institute of Child Health and Human Development Neonatal Research Network, longitudinal growth of hospitalized very low birth weight infants, 280
Native American children
immunizations for (committee statement), 564
prevention of unintentional injury among American Indian and Alaska Native children (committee statement), 1397
Neonates. *See also* Infants; Low birth weight; Prematurity
candidal mycetoma in neonatal kidney, 1126
changing epidemiology of group B streptococcal colonization, 203
changing pattern of neonatal mortality in regionalized system of perinatal care, 1064
codeine intoxication of, e75, 1379
comparison between two and five doses a week of recombinant human erythropoietin for anemia of prematurity, 210
comparison of perinatal outcomes among TennCare managed care organizations, 523

congenital transmission of visceral leishmaniasis from asymptomatic mother to child, e65, 1122
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
determination of timing of brain injury in preterm infants with periventricular leukomalacia with serial neonatal electroencephalography, 1077
early dexamethasone therapy and blood cell count in preterm infants, 476
early initiation of breastfeeding and risk of infant diarrhea in rural Egypt, e3, 101
early perinatal hospital discharge and parenting during infancy, 1070
effect of prenatal steroids on water and sodium homeostasis in extremely low birth weight neonates, 482
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
how do we safely use inhaled nitric oxide? (commentary), 296
hyperbilirubinemia in glucose-6-phosphate dehydrogenase-deficient heterozygotes, 68
impaired innate immunity in newborn, 1327
level of in utero cocaine exposure and neonatal ultrasound findings, 1101
physiologic stability during cup- and bottle-feeding, 1204
pituitary gland gumma in congenital syphilis after failed maternal treatment, e4, 102
procedural pain in newborn infants: influence of intensity and development, e13, 105
randomized, controlled trial of low-dose inhaled nitric oxide in treatment of term and near-term infants with respiratory failure and pulmonary hypertension, 1089
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
reduction of unnecessary antibiotic therapy in newborn infants using interleukin-8 and C-reactive protein as markers of bacterial infections, 447
rehospitalization in first 2 weeks after discharge from neonatal intensive care unit, e2, 101
role of hypothermia in asphyxia (letter), 1169
safe transportation of newborns at hospital discharge (committee statement), 986
safety of withdrawing inhaled nitric oxide therapy in persistent pulmonary hypertension of newborn, 231
screening for hearing disorders in infants at risk, 900
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
universal newborn hearing screening (letter), 351
Nephrolithiasis, too little water intake causing nephrolithiasis, revealed by too much water (letter), 578
Nephrotic syndrome
HIV-associated, resolution with highly active antiretroviral therapy delivered by gastrostomy tube, 1394
steroid-sensitive, behavioral effects of corticosteroids in, e51, 956
Neural tube defects, folic acid for prevention of (committee statement), 325
Neurofibromatosis 1, neurofibromatosis bright objects in children with, e49, 956
Neurologic disorders. *See also* Brain
demyelinative brainstem encephalitis responsive to intravenous immunoglobulin therapy, 301
dendritic spine pathology in infants with severe protein-calorie malnutrition, e21, 294
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
neurologic, neurocognitive, and brain growth outcomes in human immunodeficiency virus-infected children receiving different nucleoside antiretroviral regimens, e32, 554
treatment of neurologically impaired children using patterning (committee statement), 1149
Neutrophilic dermatoses, Sweet's syndrome as initial manifestation of human immunodeficiency virus infection, 1142
Neutrophils, impaired innate immunity in newborn: newborn neutrophils are deficient in bactericidal/permeability-increasing protein, 1327
Nevi
melanocytic, in children treated with growth hormone, 1045
pigmented, physiology of, 1042
Nitric oxide
assessment of medical personnel exposure to nitrogen oxides during inhaled nitric oxide treatment of neonatal and pediatric patients, 1095
exhaled nitric oxide and hepatopulmonary syndrome in 6-year-old child, 299
how do we safely use inhaled nitric oxide? (commentary), 296
randomized, controlled trial of low-dose inhaled nitric oxide in treatment of term and near-term infants with respiratory failure and pulmonary hypertension, 1089
safety of withdrawing inhaled nitric oxide therapy in persistent pulmonary hypertension of newborn, 231
Nocardia farcinica pneumonia, in chronic granulomatous disease, 961
Nutrition. *See* Diet and nutrition

Obesity, evidence for independent genetic influences on fat mass and body mass index in pediatric twin sample, 61
Occupational health, assessment of medical personnel exposure to nitrogen oxides during inhaled nitric oxide treatment of neonatal and pediatric patients, 1095
Off-label use of drugs in children, 598
Oligodendrocytes, brain damage in preterm newborns: might enhancement of developmentally regulated endogenous protection open a door for prevention?, 541
Ophthalmology
cost-effectiveness of treatment for threshold retinopathy of prematurity, e47, 955
current incidence of retinopathy of prematurity, 1989–1997, e26, 552
effect of blood transfusion protocol on retinopathy of prematurity, 514
hyperthyroidism: novel feature of tubulointerstitial nephritis and uveitis syndrome, 314
pupillary dilation by pediatricians (commentary), 958
systematic review of vision screening tests for detection of amblyopia, 1220
utility of pupillary dilation for detecting leukocoria in patients with retinoblastoma, e44, 954
Oral rehydration solution, for acute diarrhea, prevents subsequent unscheduled follow-up visits, e29, 553
Orofacial clefts, dose-dependent effect of folic acid on prevention of, e66, 1376
Orthopaedics, abstracts of presentations at annual meeting, 706
Osteonecrosis, varicella complicated by group A streptococcal sepsis and osteonecrosis, 967
Otitis media
day care attendance in first year of life and illnesses of upper and lower respiratory tract in children with familial history of atopy, 495
influence of having an assigned Medicaid primary care physician on utilization of otitis media-related services, 1192
maternal cigarette smoking during pregnancy is independent predictor for symptoms of middle ear disease at five years' postdelivery, e16, 292
parent-reported language and communication skills at 1 and 2 years of age in relation to otitis media in first 2 years of life, e52, 957

parental stress and parent-rated child behavior in relation to otitis media in first 3 years of life, 1264
Otolaryngology, abstracts of presentations at annual meeting, 726
Outcome
cardiopulmonary resuscitation in very low birth weight infant: Vermont Oxford Network experience, 428
comparison of perinatal outcomes among TennCare managed care organizations, 523
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
growth hormone stimulation test results as predictors of recombinant human growth hormone treatment outcomes, 1028
impact of low birth weight, perinatal conditions, and sociodemographic factors on educational outcome in kindergarten, e74, 1379
IMpact-RSV Study Group report (letter), 993
intact survival in extremely low birth weight infants after delivery room resuscitation, e40, 952
management of phenylketonuria for optimal outcome, e68, 1377
natural outcome of *Helicobacter pylori* infection in asymptomatic children, 216
neurologic, neurocognitive, and brain growth outcomes in human immunodeficiency virus-infected children receiving different nucleoside antiretroviral regimens, e32, 554
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants: outcome of study participants at 1-year adjusted age, 15
thyroid function and adverse outcome (letter), 129
Oxandrolone, evaluation of effects on malnourished HIV-positive pediatric patients, e73, 1378

Pacifier use, breastfeeding patterns in relation to thumb sucking and, e50, 956
Pain
predicting need for topical anesthetic in pediatric emergency department, e19, 293
procedural pain in newborn infants: influence of intensity and development, e13, 105
relative efficacy of amethocaine gel and lidocaine-prilocaine cream for Port-a-Cath puncture in children, e31, 554
Palivizumab
cohorting babies to reduce waste (letter), 1170
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
IMpact-RSV Study Group report (letter), 993
Pancreas
pancreatic duct stenting as treatment for hereditary pancreatitis, 1129
previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
Parents. *See also* Family; Mothers
antimicrobial use for pediatric upper respiratory infections: reported practice, actual practice, and parent beliefs, 1251
contributors to violent behavior among elementary and middle school children, 878
development and evaluation of satisfaction scale for parents of children with special health care needs, 1182
early perinatal hospital discharge and parenting during infancy, 1070
firearms in the house: parental perceptions, 1059
infant sleep position: telephone survey of inner-city parents of color, 1208
looking beyond physical injury: posttraumatic stress disorder in children and parents after pediatric traffic injury, 1293
management of phenylketonuria for optimal outcome: review of guidelines for management and report of surveys of parents, patients, and clinic directors, e68, 1377
parent-reported language and communication skills at 1 and 2 years of age in relation to otitis media in first 2 years of life, e52, 957
parental stress and parent-rated child behavior in relation to otitis media in first 3 years of life, 1264
prevalence and parental origin in tetralogy of Fallot associated with chromosome 22q11 microdeletion, 87
role in children's psychological development (commentary), 164
Patent ductus arteriosus
risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
video-assisted thoracoscopic surgery for patent ductus arteriosus in low birth weight neonates and infants, 227
Patient rights, privacy protection of health information: patient rights and pediatrician responsibilities (committee statement), 973
Pediatric pharmacology
editorial comment: therapeutic orphans, 583
essential drugs for infants and children: European perspective, 606
essential drugs for infants and children: North American perspective, 603
European regulatory authorities and pediatric labeling, 614
future of pediatric therapeutics, 610
is pediatric labeling necessary?, 593
lack of pediatric drug formulations, 607
off-label use of drugs in children, 598
optimal sampling theory: application to pharmacokinetic studies in infants and children, 627
patient recruitment: European perspective, 623
patient recruitment: US perspective, 619
Pediatric Pharmacology Research Unit network and its role in meeting pediatric labeling needs, 644
phenotyping of drug metabolism in infants and children, 640
stable isotopes labeling of drugs, 633
therapeutic orphans: European perspective, 585
update on therapeutic orphan: US perspective, 585
Pediatricians
academic general pediatrician: is species still endangered?, 137
antimicrobial use for pediatric upper respiratory infections: reported practice, actual practice, and parent beliefs, 1251
appropriate boundaries in pediatrician-family-patient relationship (committee statement), 334
child advocates (letter), 1168
community experiences for residents, 135
firearm injury prevention counseling, 530
marijuana: continuing concern for pediatricians (committee statement), 982
media education (committee statement), 341
pediatric physician profiling (committee statement), 970
privacy protection of health information: patient rights and pediatrician responsibilities (committee statement), 973
pupillary dilation by (commentary), 958
Resource-Based Relative Value Scale (letter), 577
role in development and implementation of Individual Education Plan and/or Individual Family Service Plan (committee statement), 124
sink or swim-clinicians don't often counsel on drowning prevention, 1217
use of physician financial incentives and feedback to improve pediatric preventive care in Medicaid managed care, 931
Pediatrics
adherence to AAP guidelines for well-child care under managed care, 536
block rotation in community pediatrics, 143
community experiences for residents, 135
community pediatrics: can it be taught? Can it be practiced? (commentary), 111

has asthma medication use in children become more frequent, more appropriate, or both?, 187
how pediatric educators know what to teach: use of teaching scripts, 148
medical research agenda for child maltreatment (commentary), 168
pitfalls of using managed care databases in epidemiologic research (commentary), 1124
Pediatrics, new capability: postpublication peer review for *Pediatrics* (commentary), 106
Peer mentoring, adapting gang model: peer mentoring for violence prevention, 50
Peer review, new capability: postpublication peer review for *Pediatrics* (commentary), 106
Perinatal pediatrics. *See also* Low birth weight; Neonates; Prematurity
abstracts of presentations at annual meeting, 733
cardiopulmonary resuscitation in very low birth weight infant: Vermont Oxford Network experience, 428
changing pattern of neonatal mortality in regionalized system of perinatal care, 1064
comparison of perinatal outcomes among TennCare managed care organizations, 523
early perinatal hospital discharge and parenting during infancy, 1070
impact of low birth weight, perinatal conditions, and sociodemographic factors on educational outcome in kindergarten, e74, 1379
intact survival in extremely low birth weight infants after delivery room resuscitation, e40, 952
plasma creatinine rises dramatically in first 48 hours of life in preterm infants, e76, 1379
Periventricular leukomalacia, serial neonatal electroencephalography for determination of timing of brain injury in preterm infants with, 1077
Pertussis
acellular vaccines containing reduced quantities of pertussis antigens as booster in adolescents, e70, 1377
observer bias in acellular pertussis vaccine trials (letter), 577, 997
randomized, placebo-controlled trial of erythromycin estolate chemoprophylaxis for household contacts of children with culture-positive *Bordetella pertussis* infection, e42, 953
science and fiction of (commentary), 1381
when is there enough evidence to stop worrying about pertussis vaccine? (letter), 576
Pervasive developmental disorders, magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders, 405, 558 (commentary)
Pharmacokinetics. *See also* Pediatric pharmacology
application of optimal sampling theory to pharmacokinetic studies in children, 627
codeine intoxication of neonate, e75, 1379
new antiepileptic drugs, 1106
Pharyngitis, potential mechanisms for failure to eradicate group A streptococci from pharynx, 911
Phenylketonuria
development of guidelines for treatment of children with, e67, 1376
management for optimal outcome, e68, 1377
relationship among genotype, biochemical phenotype, and cognitive performance in females with phenylalanine hydroxylase deficiency, 258
Physical examination, of sexually abused child (commentary), 178
Pituitary gland gumma, in congenital syphilis after failed maternal treatment, e4, 102
Pneumococcal vaccine
for Native American children (committee statement), 564
in pregnancy (letter), 1417
Pneumonia, *Nocardia farcinica*, in chronic granulomatous disease, 961
Poisoning
abstracts of presentations at annual meeting, 696
codeine intoxication of neonate, e75, 1379
hidden threats: lead poisoning from unusual sources, 1223
recurrent acute life-threatening events and lactic acidosis caused by chronic carbon monoxide poisoning, e34, 555
Poliomyelitis, prevention of: recommendations for use of only inactivated poliovirus vaccine for routine immunization (committee statement), 1404
Polymorphonuclear leukocytes, impaired innate immunity in newborn, 1327
Pornography, Tanner staging and (letter), 995
Port-a-Cath puncture, relative efficacy of amethocaine gel and lidocaine-prilocaine cream for Port-a-Cath puncture in children, e31, 554
Posttraumatic stress disorder, in children and parents after pediatric traffic injury, 1293
Practice guidelines
adherence to AAP guidelines for well-child care under managed care, 536
development of guidelines for treatment of children with phenylketonuria, e67, 1376
evaluation of evidence-based guideline for bronchiolitis, 1334
has asthma medication use in children become more frequent, more appropriate, or both?, 187
management of phenylketonuria for optimal outcome, e68, 1377
technical report: minor head injury in children, e78, 1380
Prednisolone, for treatment of respiratory syncytial virus infection: randomized controlled trial in 147 infants, e77, 1380
Pregnancy
contraception and adolescents (committee statement), 1161
folic acid for prevention of neural tube defects (committee statement), 325
growth of infants prenatally exposed to cocaine/crack: comparison of prenatal care and no prenatal care sample, e18, 293
maternal cigarette smoking during pregnancy is independent predictor for symptoms of middle ear disease at five years' postdelivery, e16, 292
pneumococcal polysaccharide vaccine in (letter), 1417
smoking during pregnancy and hospitalization of child, e46, 955
Prematurity. *See also* Low birth weight; Neonates
apnea of prematurity and risk for sudden infant death syndrome (commentary), 297
brain damage in preterm newborns: might enhancement of developmentally regulated endogenous protection open a door for prevention?, 541
comparison between two and five doses a week of recombinant human erythropoietin for anemia of prematurity, 210
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
cost-effectiveness of treatment for threshold retinopathy of prematurity, e47, 955
current incidence of retinopathy of prematurity, 1989–1997, e26, 552
determination of timing of brain injury in preterm infants with periventricular leukomalacia with serial neonatal electroencephalography, 1077
development care does not alter sleep and development of premature infants (letter), 1169
early dexamethasone therapy and blood cell count in preterm infants, 476
effect of blood transfusion protocol on retinopathy of prematurity, 514
etiology and outcome of cerebral ventriculomegaly at term in very low birth weight preterm infants, 243
myoclonic movements in very low birth weight premature infants associated with midazolam intravenous bolus administration (letter), 579
plasma creatinine rises dramatically in first 48 hours of life in preterm infants, e76, 1379
prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
randomized trial of permissive hy-

percapnia in preterm infants, 1082
rehospitalization for respiratory syncytial virus among premature infants, 894
Prenatal exposure
growth of infants prenatally exposed to cocaine/crack: comparison of prenatal care and no prenatal care sample, e18, 293
level of in utero cocaine exposure and neonatal ultrasound findings, 1101
maternal cigarette smoking during pregnancy is independent predictor for symptoms of middle ear disease at five years' postdelivery, e16, 292
smoking during pregnancy and hospitalization of child, e46, 955
Preschool children. *See also* Toddlers
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
impact of children's health insurance program by age, 1051
Vaccines for Children program, United States, 1997, e15, 291
Preventive care. *See also* Immunization
adapting gang model: peer mentoring for violence prevention, 50
brain damage in preterm newborns: might enhancement of developmentally regulated endogenous protection open a door for prevention?, 541
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
dose-dependent effect of folic acid on prevention of orofacial clefts, e66, 1376
firearm injury prevention counseling, 530
folic acid for prevention of neural tube defects (committee statement), 325
IMpact-RSV Study Group report (letter), 993
mnemonic for remembering AAP's suggestions for clinical violence prevention and management (letter), 1171
prevention of exercise-induced bronchospasm in pediatric asthma patients: comparison of two salmeterol powder delivery devices, 501
prevention of unintentional injury among American Indian and Alaska Native children (committee statement), 1397
prophylactic *Lactobacillus GG* reduces antibiotic-associated diarrhea in children with respiratory infections, e64, 1121
prophylaxis against early adrenal insufficiency to prevent chronic lung disease in premature infants, 1258
randomized, placebo-controlled trial of erythromycin estolate chemoprophylaxis for household contacts of children with culture-positive *Bordetella pertussis* infection, e42, 953
RSV immune globulin prophylaxis: is an ounce of prevention worth a pound of cure? (commentary), 559
sink or swim-clinicians don't often counsel on drowning prevention, 1217
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
use of physician financial incentives and feedback to improve pediatric preventive care in Medicaid managed care, 931
Vaccines for Children program, United States, 1997, e15, 291
Primary care
addressing sexual abuse in primary care setting, 270
gatekeeping and referral of children and adolescents to specialty care, 28
influence of having an assigned Medicaid primary care physician on utilization of otitis media-related services, 1192
utilization of physician offices by adolescents in United States, 35
Profiling, pediatric physician profiling (committee statement), 970
Pseudohermaphroditism, male, 45,X/46,XY mosaicism: report of 27 cases, 304
Psychological health
addressing sexual abuse in primary care setting, 270
attention deficit disorder (letter), 1419
child in court (committee statement), 1145
comparison of morning, midday, and late-afternoon methylphenidate with morning and late-afternoon Adderall in children with attention-deficit/hyperactivity disorder, 1300
looking beyond physical injury: posttraumatic stress disorder in children and parents after pediatric traffic injury, 1293
parental stress and parent-rated child behavior in relation to otitis media in first 3 years of life, 1264
pharmacotherapy of attention-deficit/hyperactivity disorder reduces risk for substance use disorder, e20, 293
role of parents in children's psychological development (commentary), 164
selective mutism-the child who doesn't speak at school, 308
serum concentrations of antidepressants and benzodiazepines in nursing infants, e11, 104
Puberty, precocious
combined use of growth hormone and gonadotropin-releasing hormone analogues: National Cooperative Growth Study experience, 1014
combined use of growth hormone and gonadotropin-releasing hormone analogues in precocious puberty: theoretic and practical considerations, 1010
reexamination of age limit for defining when puberty is precocious in girls in United States, 936
Pulmonary hypertension
randomized, controlled trial of low-dose inhaled nitric oxide in treatment of term and near-term infants with respiratory failure and, 1089
safety of withdrawing inhaled nitric oxide therapy in persistent pulmonary hypertension of newborn, 231
Pupillary dilation
by pediatricians (commentary), 958
utility for detecting leukocoria in patients with retinoblastoma, e44, 954
Pyelonephritis
home care of (commentary), 109
oral versus initial intravenous therapy for urinary tract infections in young febrile children, 79
Pyloric stenosis, analysis of gastrointestinal sounds in infants with pyloric stenosis before and after pyloromyotomy, e60, 1120

Race
black and white middle class children who have private health insurance in United States, 151
differences in knowledge of hepatitis B among Vietnamese, African American, Hispanic, and white adolescents in Worcester, Massachusetts, 1212
frequency of neonatal bilirubin testing and hyperbilirubinemia in large health maintenance organization, 1198
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
immunizations for Native American children (committee statement), 564
infant sleep position: telephone survey of inner-city parents of color, 1208
prevention of unintentional injury among American Indian and Alaska Native children (committee statement), 1397
Radiography
analysis of bone age data from National Cooperative Growth Study substudy VII, 1031
regular monitoring of bone age is not useful in children treated with growth hormone, 1036
regular monitoring of bone age is useful in children treated with growth hormone, 1039
Rat bite injuries, identification of risk factors in rat bite incidents involving humans, e35, 555
Reading disorder, persistence of dyslexia: Connecticut Longitudinal Study at adolescence, 1351
Referral, gatekeeping and referral of children and adolescents to specialty care, 28
Reimbursement, Resource-Based Relative Value Scale (letter), 577
Renal disease
behavioral effects of corticosteroids

in steroid-sensitive nephrotic syndrome, e51, 956
candidal mycetoma in neonatal kidney, 1126
for-profit versus not-for-profit dialysis care for children with end stage renal disease, 519
hyperthyroidism: novel feature of tubulointerstitial nephritis and uveitis syndrome, 314
plasma creatinine rises dramatically in first 48 hours of life in preterm infants, e76, 1379
pyelonephritis at home-why not? (commentary), 109
resolution of HIV-associated nephrotic syndrome with highly active antiretroviral therapy delivered by gastrostomy tube, 1394
too little water intake causing nephrolithiasis, revealed by too much water (letter), 578
Research
academic general pediatrician: is species still endangered?, 137
black and white middle class children who have private health insurance in United States, 151
characteristics of families who attend free vaccine fairs, 158
medical research agenda for child maltreatment (commentary), 168
pitfalls of using managed care databases in epidemiologic research (commentary), 1124
Respiratory distress syndrome
early dexamethasone therapy and blood cell count in preterm infants, 476
randomized trial of permissive hypercapnia in preterm infants, 1082
Respiratory health. *See also* Lung disease
antimicrobial use for pediatric upper respiratory infections: reported practice, actual practice, and parent beliefs, 1251
beneficial effects of weekly low-dose vitamin A supplementation on acute lower respiratory infections and diarrhea in Ecuadorian children, e1, 101
best articles, 368
day care attendance in first year of life and illnesses of upper and lower respiratory tract in children with familial history of atopy, 495
prophylactic *Lactobacillus GG* reduces antibiotic-associated diarrhea in children with respiratory infections, e64, 1121
randomized, controlled trial of low-dose inhaled nitric oxide in treatment of term and near-term infants with respiratory failure and pulmonary hypertension, 1089
safety of withdrawing inhaled nitric oxide therapy in persistent pulmonary hypertension of newborn, 231
understanding antibiotic overuse for respiratory tract infections in children (commentary), 1384
Respiratory syncytial virus (RSV) infection
cost-effectiveness of respiratory syncytial virus prophylaxis among preterm infants, 419
evaluation of evidence-based guideline for bronchiolitis, 1334
IMpact-RSV Study Group report (letter), 993
palivizumab-cohorting babies to reduce waste (letter), 1170
pitfalls of using managed care databases in epidemiologic research (commentary), 1124
predicting deterioration in previously healthy infants hospitalized with, 463
prednisolone treatment of: randomized controlled trial in 147 infants, e77, 1380
previously healthy infants may have increased risk of aspiration during respiratory syncytial viral bronchiolitis, 1389
rehospitalization for, among premature infants, 894
RSV immune globulin prophylaxis: is a ounce of prevention worth a pound of cure? (commentary), 559
Restraining orders, a frequent marker of adverse maternal health, 249
Resuscitation
cardiopulmonary resuscitation in very low birth weight infant: Vermont Oxford Network experience, 428
intact survival in extremely low birth weight infants after delivery room resuscitation, e40, 952
Retinoblastoma
pupillary dilation by pediatricians (commentary), 958
utility of pupillary dilation for detecting leukocoria in patients with, e44, 954
Retinopathy of prematurity
current incidence of, 1989–1997, e26, 552
effect of blood transfusion protocol on, 514
threshold, cost-effectiveness of treatment for, e47, 955
Rotavirus vaccine
possible association of intussusception with (committee statement), 575
rotavirus vaccine (letter), 1419
Rubella, previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104

Safety issues. *See also* Adverse drug reactions; Injuries
effect of passenger airbags on child seating behavior in motor vehicles, 1247
how do we safely use inhaled nitric oxide? (commentary), 296
safe transportation of newborns at hospital discharge (committee statement), 986
safety of acetaminophen and ibuprofen among children younger than 2 years old, e39, 952
safety of withdrawing inhaled nitric oxide therapy in persistent pulmonary hypertension of newborn, 231
ultraviolet light: a hazard to children (committee statement), 328
why do child cyclists in United States remain unhelmeted? (commentary), 107
Salmeterol, prevention of exercise-induced bronchospasm in pediatric asthma patients: comparison of two salmeterol powder delivery devices, 501
Satisfaction with care, development and evaluation of satisfaction scale for parents of children with special health care needs, 1182
School issues
impact of low birth weight, perinatal conditions, and sociodemographic factors on educational outcome in kindergarten, e74, 1379
issues related to human immunodeficiency virus transmission in schools, child care, medical settings, the home, and community (committee statement), 318
pediatrician's role in development and implementation of Individual Education Plan and/or Individual Family Service Plan (committee statement), 124
repeated school-based screening for sexually transmitted diseases, 1281
selective mutism-the child who doesn't speak at school, 308
Screening
blood pressure measurement in children: cuff selection, e30, 553
comparative analysis of serologic screening tests for initial diagnosis of celiac disease, 75
for domestic violence in community pediatric setting, 874
human immunodeficiency virus screening (committee statement), 128
neonatal, for hearing disorders in infants at risk, 900
repeated school-based screening for sexually transmitted diseases, 1281
screening tests for urinary tract infection: meta-analysis, e54, 1118
systematic review of vision screening tests for detection of amblyopia, 1220
universal newborn hearing screening (letter), 351
validity of Uriscreen test for early detection of urinary tract infection in children, e41, 952
Sedation, in emergency situations (letter), 1167
Seizure disorders
magnetoencephalographic patterns of epileptiform activity in children with regressive autism spectrum disorders, 405, 558 (commentary)
managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106

Selective mutism, the child who doesn't speak at school, 308
Sepsis
impaired innate immunity in newborn, 1327
varicella complicated by group A streptococcal sepsis and osteonecrosis, 967
Sexual abuse/assault
addressing sexual abuse in primary care setting, 270
gender differences in risk behaviors among adolescents who experience date fighting, 1286
inappropriate use of nonculture tests for detection of *Chlamydia trachomatis* in suspected victims of child sexual abuse, 1137
medical evaluation of sexually abused child (commentary), 178
medical research agenda for child maltreatment (commentary), 168
Neisseria gonorrhoeae infections in girls younger than 12 years of age evaluated for vaginitis, e72, 1378
oral and dental aspects of child abuse and neglect (committee statement), 348
Wood's lamp utility in identification of semen, 1342
Sexual behavior
Child Sexual Behavior Inventory: Dutch-speaking normative sample, 885
contraception and adolescents (committee statement), 1161
sterilization of minors with developmental disabilities (committee statement), 337
Sexual development
combined use of growth hormone and gonadotropin-releasing hormone analogues: National Cooperative Growth Study experience, 1014
combined use of growth hormone and gonadotropin-releasing hormone analogues in precocious puberty: theoretic and practical considerations, 1010
45,X/46,XY mosaicism: report of 27 cases, 304
reexamination of age limit for defining when puberty is precocious in girls in United States, 936
Tanner staging and pornography (letter), 995
in two-year-old boy induced by topical exposure to testosterone, e23, 294
Sexually transmitted diseases
inappropriate use of nonculture tests for detection of *Chlamydia trachomatis* in suspected victims of child sexual abuse, 1137
medical evaluation of sexually abused child (commentary), 178
Neisseria gonorrhoeae infections in girls younger than 12 years of age evaluated for vaginitis, e72, 1378
pituitary gland gumma in congenital syphilis after failed maternal treatment, e4, 102
repeated school-based screening for, 1281
Short bowel syndrome, managing disagreements in management of hypoplastic left heart syndrome and, e48, 955
Siblings, staging of preclinical type 1 diabetes in siblings of affected children, 925
Skin conditions
melanocytic nevi in children treated with growth hormone, 1045
physiology of pigmented nevi, 1042
Sweet's syndrome as initial manifestation of human immunodeficiency virus infection, 1142
ultraviolet light: a hazard to children (committee statement), 328
use of cotton swab method in diagnosing tinea capitis, 276
Sleep
development care does not alter sleep and development of premature infants (letter), 1169
infant sleep position: telephone survey of inner-city parents of color, 1208
sleep disturbances in children with human immunodeficiency virus infection, e62, 1121
television-viewing habits and sleep disturbance in school children, e27, 552
why prone position is a risk factor for sudden infant death syndrome, 263
Smoking
epidemiology of SIDS and explained sudden infant deaths, e43, 953
maternal cigarette smoking during pregnancy is independent predictor for symptoms of middle ear disease at five years' postdelivery, e16, 292
during pregnancy and hospitalization of child, e46, 955
short-term health and economic benefits of smoking cessation: low birth weight, 1312
weight concerns, weight control behaviors, and smoking initiation, 918
Socioeconomic factors
black and white middle class children who have private health insurance in United States, 151
effect of weekend on risk of sudden infant death syndrome, e58, 1119
impact of low birth weight, perinatal conditions, and sociodemographic factors on educational outcome in kindergarten, e74, 1379
relationship between psychosocial factors and asthma morbidity in inner-city children with asthma, 1274
Sodium balance
changing pattern of hypernatremia in hospitalized children, 435
effect of prenatal steroids on water and sodium homeostasis in extremely low birth weight neonates, 482
Special health care needs. *See also* Disabilities
care coordination: integrating health and related systems of care for children with (committee statement), 978
development and evaluation of satisfaction scale for parents of children with, 1182
emergency preparedness for children with, e53, 957
transporting children with (committee statement), 988
Speech and language
parent-reported language and communication skills at 1 and 2 years of age in relation to otitis media in first 2 years of life, e52, 957
persistence of dyslexia: Connecticut Longitudinal Study at adolescence, 1351
selective mutism-the child who doesn't speak at school, 308
Spine
folic acid for prevention of neural tube defects (committee statement), 325
spinal epidural abscess in preverbal children: case report with Currarino triad, 1139
Sports participation, human immunodeficiency virus and other blood-borne viral pathogens in the athletic setting (committee statement), 1400
Stachybotrys, isolation from lung of child with pulmonary hemosiderosis, 964
State Children's Health Insurance Program, adolescent health insurance coverage: recent changes and access to care, 195
Sterilization, of minors with developmental disabilities (committee statement), 337
Stimulants, comparison of morning, midday, and late-afternoon methylphenidate with morning and late-afternoon Adderall in children with attention-deficit/hyperactivity disorder, 1300
Strength training, effects of different resistance training protocols on muscle strength and endurance development in children, e5, 102
Streptococcal infections
changing epidemiology of group B streptococcal colonization, 203
potential mechanisms for failure to eradicate group A streptococci from pharynx, 911
varicella complicated by group A streptococcal sepsis and osteonecrosis, 967
Subacute sclerosing panencephalitis, in identical twin, 1390
Substance abuse. *See also* Prenatal exposure
growth of infants prenatally exposed to cocaine/crack: comparison of prenatal care and no prenatal care sample, e18, 293
level of in utero cocaine exposure and neonatal ultrasound findings, 1101
marijuana: continuing concern for pediatricians (committee statement), 982
pharmacotherapy of attention-deficit/hyperactivity disorder re-

duces risk for substance use disorder, e20, 293
Sudden infant death syndrome (SIDS)
apnea of prematurity and risk for (commentary), 297
best articles, 368
effect of weekend on risk of, e58, 1119
epidemiology of SIDS and explained sudden infant deaths, e43, 953
infant sleep position: telephone survey of inner-city parents of color, 1208
investigation and review of unexpected infant and child deaths (committee statement), 1158
why prone position is a risk factor for, 263
Sun exposure
community-based randomized trial encouraging sun protection for children (letter), 355
ultraviolet light: a hazard to children (committee statement), 328
Surfactant therapy, risk factors for chronic lung disease in surfactant era: North Carolina population-based study of very low birth weight infants, 1345
Surgery
abstracts of presentations at annual meeting, 762
video-assisted thoracoscopic surgery for patent ductus arteriosus in low birth weight neonates and infants, 227
Surveys
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
infant sleep position: telephone survey of inner-city parents of color, 1208
management of phenylketonuria for optimal outcome: review of guidelines for management and report of surveys of parents, patients, and clinic directors, e68, 1377
reliability and validity of Children's Health Survey for Asthma, e71, 1378
Sweet's syndrome, as initial manifestation of human immunodeficiency virus infection, 1142
Syncope, cerebral blood flow velocity during tilt table test for, 237
Syphilis, pituitary gland gumma in congenital syphilis after failed maternal treatment, e4, 102

Television
contributors to violent behavior among elementary and middle school children, 878
media education (committee statement), 341
viewing habits and sleep disturbance in school children, e27, 552
Testosterone, sexual development in two-year-old boy induced by topical exposure to, e23, 294
Tetralogy of Fallot, associated with chromosome 22q11 microdeletion, prevalence and parental origin in, 87
Therapeutics
antimicrobial use for pediatric upper respiratory infections: reported practice, actual practice, and parent beliefs, 1251
has asthma medication use in children become more frequent, more appropriate, or both?, 187
understanding antibiotic overuse for respiratory tract infections in children (commentary), 1384
Thimerosal in vaccines
interim report to clinicians (committee statement), 570
joint statement of AAP and United States Public Health Service, 568
Thumb sucking, breastfeeding patterns in relation to pacifier use and, e50, 956
Thyroid function
and adverse outcome (letter), 129
celiac disease associated with familial chronic urticaria and thyroid autoimmunity in child, e25, 295
congenital hypothyroidism and nonimmune hydrops fetalis: associated? (letter), 1416
hyperthyroidism: novel feature of tubulointerstitial nephritis and uveitis syndrome, 314
persistent infantile hypothyroidism attributable to thyroxine-binding globulin deficiency, 312
previous exposure to measles, mumps, and rubella-but not vaccination during adolescence-correlates to prevalence of pancreatic and thyroid autoantibodies, e12, 104
Tiagabine, managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106
Tinea capitis, use of cotton swab method in diagnosis of, 276
Toddlers. *See also* Preschool children
recurrent acute life-threatening events and lactic acidosis caused by chronic carbon monoxide poisoning, e34, 555
Yersinia enterocolitis mimicking Crohn's disease in toddler, e36, 556
Topiramate, managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106
Transfusion, comparison between two and five doses a week of recombinant human erythropoietin for anemia of prematurity, 210
Transplantation, cord blood banking for potential future transplantation: subject review (committee statement), 116
Transport medicine
abstracts of presentations at annual meeting, 791
transporting children with special health care needs (committee statement), 988
Trauma. *See* Injuries
Tuberculosis, immigration and tuberculosis among children on United States-Mexico border, County of San Diego, California, e8, 103
Tubulointerstitial nephritis and uveitis syndrome, hyperthyroidism as novel feature of, 314
Tumor necrosis factor α, and interleukin-1β and interleukin-6 levels in febrile, young children with and without occult bacteremia, 1321
Tumors
case of congenital multiple myofibromatosis developing in infant, 113
neurofibromatosis bright objects in children with neurofibromatosis 1, e49, 956
utility of pupillary dilation for detecting leukocoria in patients with retinoblastoma, e44, 954
Turner syndrome
45,X/46,XY mosaicism: report of 27 cases, 304
growth hormone and craniofacial changes: preliminary data from studies in, 1021
melanocytic nevi in children treated with growth hormone, 1045
Twins
evidence for independent genetic influences on fat mass and body mass index in pediatric twin sample, 61
subacute sclerosing panencephalitis in identical twin, 1390

Ultrasonography
candidal mycetoma in neonatal kidney, 1126
level of in utero cocaine exposure and neonatal ultrasound findings, 1101
Ultraviolet light
a hazard to children (committee statement), 328
Wood's lamp utility in identification of semen, 1342
Umbilical cord blood, cord blood banking for potential future transplantation: subject review (committee statement), 116
Urinary tract infection
minimum incidence and diagnostic rate of first urinary tract infection, 222
pyelonephritis at home-why not? (commentary), 109
screening tests for: meta-analysis, e54, 1118
validity of Uriscreen test for early detection of, e41, 952
in young febrile children, oral versus initial intravenous therapy for, 79
Urology, abstracts of presentations at annual meeting, 796
Urticaria
best articles, 365
celiac disease associated with familial chronic urticaria and thyroid autoimmunity in child, e25, 295
Utilization of health care services
adolescent health insurance coverage: recent changes and access to care, 195
black and white middle class children who have private health insurance in United States, 151
cohort study of resource use by Medicaid children with asthma, 310
impact of children's health insurance program by age, 1051

influence of having an assigned Medicaid primary care physician on utilization of otitis media-related services, 1192
pediatric physician profiling (committee statement), 970
utilization of physician offices by adolescents in United States, 35
Uveitis, hyperthyroidism: novel feature of tubulointerstitial nephritis and uveitis syndrome, 314

Vaginitis, *Neisseria gonorrhoeae* infections in girls younger than 12 years of age evaluated for, e72, 1378
Varicella
complicated by group A streptococcal sepsis and osteonecrosis, 967
cost of chickenpox in Canada
complicated cases and total economic impact, 7
uncomplicated cases, 1
varicella outbreaks after vaccine licensure: should they make you chicken?, 561
varicella vaccine (letter), 132
Ventilatory assistance
dexamethasone therapy increases infection in very low birth weight infants, e63, 1121
randomized placebo-controlled trial of 42-day tapering course of dexamethasone to reduce duration of ventilator dependency in very low birth weight infants, 22
outcome of study participants at 1-year adjusted age, 15
randomized trial of permissive hypercapnia in preterm infants, 1082
three-day course of dexamethasone therapy to prevent chronic lung disease in ventilated neonates: randomized trial, 91
Very low birth weight. *See* Low birth weight
Video-assisted thoracoscopic surgery, for patent ductus arteriosus in low birth weight neonates and infants, 227
Vigabatrin, managing pediatric epilepsy syndromes with new antiepileptic drugs, 1106
Violence. *See also* Child abuse and neglect
adapting gang model: peer mentoring for violence prevention, 50
contributors to violent behavior among elementary and middle school children, 878
gender differences in risk behaviors among adolescents who experience date fighting, 1286
mnemonic for remembering AAP's suggestions for clinical violence prevention and management (letter), 1171
restraining orders: a frequent marker of adverse maternal health, 249
screening for domestic violence in community pediatric setting, 874
Vision screening, systematic review of tests for detection of amblyopia, 1220
Vital statistics, annual summary-1998, 1229
Vitamin A supplementation
in very low birth weight neonates, 1369
weekly low-dose, beneficial effects on acute lower respiratory infections and diarrhea in Ecuadorian children, e1, 101

Water balance
effect of prenatal steroids on water and sodium homeostasis in extremely low birth weight neonates, 482
too little water intake causing nephrolithiasis, revealed by too much water (letter), 578
Weight
evidence for independent genetic influences on fat mass and body mass index in pediatric twin sample, 61
growth and fatness at 3 to 6 years of age of children born small- or large-for-gestational age, e33, 555
weight concerns, weight control behaviors, and smoking initiation, 918
weight gain in infants breastfed by mothers who take fluoxetine, e61, 1120
Weight training, effects of different resistance training protocols on muscle strength and endurance development in children, e5, 102
Well-child care, adherence to AAP guidelines for, under managed care, 536
Wood's lamp, utility in identification of semen, 1342

Yersinia enterocolitica, enterocolitis mimicking Crohn's disease in toddler, e36, 556

Zidovudine, neurologic, neurocognitive, and brain growth outcomes in human immunodeficiency virus-infected children receiving different nucleoside antiretroviral regimens, e32, 554
Zinc protoporphyrin/heme ratio, for diagnosis of preanemic iron deficiency, e37, 556